



STEALTH

MINING SOLUTIONS SDN BHD

PT519, KAWASAN PERUSAHAAN KUALA KANGSAR
33000 KUALA KANGSAR PERAK MALAYSIA
Company Registration Number 202401002449 (1548299-T)



ORDER NOW
SCAN 
ME

 www.stealth-ms.com.my


 +60 11-6083 1814

 admin@stealth-ms.com.my



STEALTH

MINING SOLUTIONS SDN BHD



THE CATALOGUE



PROLEC

Pro-Series



BLACKLIGHT

HEAVY DUTY LED WORK LIGHTS



Stealth Mining Solutions
www.stealth-ms.com.my



STEALTH
MINING SOLUTIONS Sdn Bhd

PT519, Kawasan Perusahaan Kuala Kangsar
33000 Kuala Kangsar Perak

Tel No: +601160831814

Email Address: admin@stealth-ms.com.my

Website: www.stealth-ms.com.my

PROLEC

Pro-Series




STEALTH
MINING
SOLUTIONS

PART LISTS



Pro-Vision



*We supply
what you need*



Pro-Series

Battery Terminals

E55-0201

Brass Saddle Type

Entry Type: End Entry
Max Cable Size: 1 B&S
Post Type: Standard
Pack Size: 10



E55-0211

Brass Solderless Type

Entry Type: Rear (Bolt)
Max Cable Size: 1 B&S
Post Type: Standard
Pack Size: 10



E55-0214 Heavy Duty Brass Solderless Type

Entry Type: Rear (Bolt)
Max Cable Size: 00 B&S
Post Type: Standard
Pack Size: 5



E55-0221

Heavy Duty Brass Stud Type

Entry Type: 10mm Bolt
Max Cable Size: N/A
Post Type: Standard
Type: Negative
Pack Size: 5



E55-0222

Heavy Duty Brass Stud Type

Entry Type: 10mm Bolt
Max Cable Size: N/A
Post Type: Standard
Type: Positive
Pack Size: 5





Pro-Series

Terminal Insulators



E55-0616		Black	25mm	18mm	7-13mm
E55-0617		Red			

Booster Clamp

Insulated Booster Clamps

- Supplied with Bridging Strap
- 1 per pack

Part No.	Colour		Amp.
E55-1010 / LV4820		Red	600
E55-1011 / LV4821		Black	600





Pro-Series

Cable Lugs

- Open End



Part No.	Cable Size	B&S Size	Stud Size	Pack Qty.	Reference
E55-0344 / LV4144	50mm	0 B&S	12mm	10	50-12
E55-0347 / LV4147	70mm	00 B&S	12mm	10	70-12
E55-0349 / LV4149	95mm	000 B&S	12mm	10	95-12




Pro-Series

Battery Product

E61-46210-02

Positive Battery Jumper Terminal


- Red Positive Jumper with Plastic Colour Coded Cap
- Solid Brass Post with Hex Nuts & Lock Washer



E61-46210-03

Negative Battery Jumper Terminal


- Black Negative Jumper Terminal with Plastic Colour Coded Cap
- Solid Brass Post with Hex Nut & Lock Washer



E59-4001

Power Distribution Post

- Black Stud Type Junction Block - Non Feed Thru Type
- Base Material: Thermoplastic
- 3/8" Connection Post
- Zinc Plated Brass Connection Post
- Rating: 250 Amps
- Product Code: [LV4219B](#)



E59-4002

Power Distribution Post

- Red Positive Jumper with Plastic Colour Coded Cap
- Solid Brass Post with Hex Nuts & Lock Washer
- Rating: 250Amps
- Product Code: [LV4219R](#)





Pro-Series

Battery Product

E55-1112 **Battery Hold Down Bracket**

- Battery Hold Down Bracket
- Suits: Battery Width: 140-215mm
Bolt Length: 215mm
- Includes: Wing Nuts & Washers



E55-1113 **Battery Hold Down Bracket**

- Adjustable Battery Hold Down Bracket
- Suits: Battery Width: 175mm
Bolt Length: 220mm
- Includes: Wing Nuts & Washers



E55-1114 **Battery Hold Down Kit**

- Battery Hold Down Kit
- Suits: Battery Width: 140mm
- Includes: Wing Nuts



E55-1115 **Battery Hold Down Kit**

- Battery Hold Down Kit
- Suits: Battery Width: 175mm
- Includes: Wing Nuts



LV4840 **Small Battery Tray**

- Small Steel Battery Tray
- Plastic Coated Heavy Gauge Steel
- Size: 7.5" (190mm) x 11" (280mm)
- Universal Mounting



LV4841 **Large Battery Tray**

- Large Steel Battery Tray
- Plastic Coated Heavy Gauge Steel
- Size: 7.5" (190mm) x 13" (330mm)
- Universal Mounting





Pro-Series

Cable Ties

LV3200

- UV & Weather Resistant



Standard Cable Ties

Part No.	Width	Colour	Length	Pack Size
LV3250	2.4mm	Black	100mm	100
LV3251	3.6mm	Black	150mm	
LV3252	4.8mm	Black	200mm	100
LV3253		Black	290mm	
LV3254	4.8mm	Black	370mm	100
LV3255	7.6mm	Black	340mm	
LV3257	9.0mm	Black	530mm	100
LV3258		Black	812mm	



With Mounting Head

Part No.	Width	Colour	Length	Pack Size
LV3256	4.2mm	Black	205mm	100



With Push Mount

Part No.	Width	Colour	Length	Pack Size
LV3213	4.8mm	Black	200mm	100

LV3260

- UV & Weather Resistant
- Cable Tie Assortment Contains 1000 Cable Ties



Part No.	Width	Colour	Length	Pack Size
LV3250	2.4mm	Black	100mm	200
LV3251	3.6mm	Black	150mm	200
LV3252	4.8mm	Black	200mm	400
LV3253		Black	290mm	200

*We supply
what you need*



Pro-Series

Cable Ties Mount

LV3211

- UL Approved Nylon 66
- Backed with Adhesive Tape
- Can be Screw Mounted



Part No.	Width	Length	Height	Colour	Pack Size
LV3209	21mm	21mm	3.5mm	White	100
LV3210	28mm	28mm	5.3mm	White	
LV3211	21mm	21mm	3.5mm	Black	100
LV3212	28mm	28mm	5.3mm	Black	

Heat Shrink

- UL Approved Nylon 66
- Backed with Adhesive Tape / Can be Screw Mounted



Part No.	Pre Shrunk Dia.	Colour		Length
E53-0302/200	3.2mm		Black	1.2m
LV3312/LV3313	10mm		Black	1.2m
LV3316/LV3317	13mm		Black	1.2m



Pro-Series

Cable

3mm - Twin Core Cable (Black Sheathed)

Rating: 10 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 14
 Conductor Cross Section: 1.13mm²



Part No.	Colour		Length
E49-0040		Red	30m
		Black	
E49-0041		Red	100m
		Black	

4mm - Twin Core Cable (Black Sheathed)

Rating: 15 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 23
 Conductor Cross Section: 1.85mm²



Part No.	Colour		Length
E49-0095		Red	30m
		Black	
E49-0096		Red	100m
		Black	

3mm - Five Core Cable (Black Sheathed)

Rating: 10 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 14
 Conductor Cross Section: 1.13mm²



Part No.	Colour		Length
E49-0046		Green	30m
		Red	
		White	
		Brown	
		Yellow	



Pro-Series

Cable

3mm - Seven Core Cable (Black Sheathed)

Rating: 10 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 14
 Conductor Cross Section: 1.13mm²



Part No.	Colour		Length
E49-0048		Green	30m
		Red	
		White	
		Brown	
		Yellow	
		Blue	
		Black	

4mm - Five Core Cable (Black Sheathed)

Rating: 15 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 23
 Conductor Cross Section: 1.85mm²



Part No.	Colour		Length
E49-0099		Green	30m
		Red	
		White	
		Brown	
		Yellow	

4mm - Seven Core Cable (Black Sheathed)

Rating: 15 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 23
 Conductor Cross Section: 1.85mm²



Part No.	Colour		Length
E49-0101		Green	30m
		Red	
		White	
		Brown	
		Yellow	
		Blue	
		Black	



Pro-Series

Cable

3mm - Single Core Cable

Rating: 10 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 14
 Conductor Cross Section: 1.13mm²



Part No.	Colour		Length
E49-0000		Black	30m
E49-0002		Green	
E49-0004		Red	
E49-0006		White	30m
E49-0008		Blue	
E49-0010		Brown	
E49-0012		Yellow	30m
E49-0014		Orange	
E49-0016		Pink	
E49-0018		Grey	30m
E49-0020		Purple	

4mm - Single Core Cable

Rating: 15 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 23
 Conductor Cross Section: 1.85mm²



Part No.	Colour		Length
E49-0051		Black	30m
E49-0053		Green	
E49-0055		Red	
E49-0057		White	30m
E49-0059		Blue	
E49-0061		Brown	
E49-0063		Yellow	30m
E49-0065		Orange	
E49-0067		Pink	
E49-0069		Grey	30m
E49-0071		Purple	

6mm - Seven Core Cable (Black Sheathed)

Rating: 50 Amp
 Strands of Strands: 0.32mm
 Number of Strands: 57
 Conductor Cross Section: 4.58mm²



Part No.	Colour		Length
E49-0129		Black	30m
E49-0133		Red	



Pro-Series

Battery Cable

High-Quality Pre-Made Battery Joiner Cable 00 B&S

- Terminals are crimped then finished with Heatshrink
- Rating: 370 Amp
- Strands: 798 x 0.32mm²



Part No.	Length [MM]	Length [INCH]
E49-1048	150mm	5.90"
E49-1049	200mm	7.87"
E49-0050	230mm	9.05"
E49-0051	250mm	9.84"
E49-0052	300mm	11.81"
E49-0053	380mm	14.96"
E49-0054	460mm	18.11"
E49-0055	610mm	24.01"

High-Quality Pre-Made Battery Starter Switch Cable 00 B&S

- Terminals are crimped then finished with Heatshrink •
- Rating: 370 Amp
- Strands 798 x 0.32mm²



Part No.	Length [MM]	Length [INCH]
E49-1078	300mm	11.91"
E49-1079	380mm	14.96"
E49-0080	460mm	18.11"
E49-0081	610mm	24.01"
E49-0082	910mm	35.82"
E49-0083	1220mm	48.03"



Pro-Series

Convolutated Tubing

Split Convolutated Tubing

- Fire retardant Polypropylene
- Operating Temperature: -25°C to +110°C



Part No.	Dia.	Colour	Length
E53-0710 / LV3020	7.0mm	Black	10m
E53-0730 / LV3021			30m
E53-7200 / LV3022			200m
E53-1010 / LV3024	10.5mm	Black	10m
E53-1030 / LV3025			30m
E53-1125 / LV3026			125m
E53-1310 / LV3028	13.0mm	Black	10m
E53-1330 / LV3029			30m
E53-1375 / LV3030			75m
E53-1610 / LV3032	16.0mm	Black	10m
E53-1630 / LV3033			30m
E53-1650 / LV3034			50m
E53-1601 / LV3035			100m
E53-2010 / LV3036	20.0mm	Black	10m
E53-2030 / LV3037			30m
E53-2001 / LV3038			100m
E53-2210 / LV3039	22.0mm	Black	10m
E53-2230 / LV3040			30m
E53-2703 / LV3041	27.0mm	Black	3m
E53-2710 / LV3042			10m



Pro-Series

Convuluted Tubing

Non-Split Convuluted Tubing

- Flame Retardant Polypropylene
- UV stabilised for outdoor use
- IP68 Rating when our fittings are used



Part No.	Dia.	Colour		Length
E53-8000	6.6mm		Black	100m
E53-8001	8.4mm			
E53-8002	9.8mm		Black	50m
E53-8003	11.8mm			
E53-8004	16.7mm			
E53-8005	21.2mm		Black	50m
E53-8006	23.0mm			
E53-8008	35.2mm		Black	25m

Cable Clips

Rubber Coated Cable Clamps



Part No.	Internal Dia.	Mounting Hole	Pack Size
E53-0510	10mm	7mm	10
E53-0511	13mm	7mm	10
E53-0512	16mm	7mm	10
E53-0513	19mm	7mm	10
E53-0514	22mm	7mm	10
E53-0515	27mm	7mm	10

Non-Split Convoluted Tubing Fitting

Non-Split Convoluted Tubing Straight Fittings

- UV stabilised for outdoor use
- IP68 Rating when used with our Convoluted Tubing



Part No.	Suits Tubing	Thread Size	Colour		Pack Size
E53-8010	E53-8000	M12.0 x 1.5		Black	1
E53-8011	E53-8001	M16.0 x 1.5		Black	1
E53-8012	E53-8002				
E53-8013	E53-8003				
E53-8014	E53-8003	M20 x 1.5		Black	1
E53-8015	E53-8004				
E53-8016	E53-8004	M25 x 1.5		Black	1
E53-8017	E53-8005				
E53-8019	E53-8008	M40.0 x 1.5		Black	1

Non-Split Convoluted Tubing Right Angle Fittings

- UV stabilised for outdoor use
- IP68 Rating when used with our Convoluted Tubing



Part No.	Suits Tubing	Thread Size	Colour		Pack Size
E53-8020	E53-8002	16.0 x 1.5		Black	1
E53-8022	E53-8002	M20.0 x 1.5		Black	1
E53-8023	E53-8003				
E53-8024	E53-8004				
E53-8025	E53-8005	M25.0 x 1.5		Black	1
E53-8026	E53-8007	M32.0 x 1.5		Black	1
E53-8027	E53-8008	M40.0 x 1.5		Black	1



Pro-Series

Nitto Tape

Nitto PVC Tape

- Adhesive
- Lead Free



Part No.	Description	Colour	Length
E60-2110	Nitto 21E PVC Tape	Black	19mm x 10m
E60-2120	Nitto 21 PVC Tape	Black	19mm x 20m

Nitto Harness Tape

- Adhesive
- Lead Free
- Fire Retardant



Part No.	Description	Colour	Length
E60-2100	Nitto Fire Retardant Harness Tape	Black	19mm x 25m

JAS PVC Tape

- Adhesive



Part No.	Description	Colour	Length
E60-2150 / LV3150	JAS PVC Tape	Black	19mm x 20m

Nitto Amalgamating Tape

- Nitto Self Fusing Butyl Rubber Tape No.15
- Superior volume resistivity, high breakdown voltage, low dielectric loss tangent
- Exceptional Weatherability & ozone resistance



Part No.	Description	Colour	Length
E60-2115 / LV3158	Nitto Amalgamating Tape	Black	25mm x 10m



Pro-Series

Grommets

Nitto Harness Tape



Part No.	Colour	Outside Dia.	Hole Dia.	Pack Size
E53-0530 / LV3230	Black	6.0mm	3.0mm	10
E53-0531 / LV3231	Black	7.2mm	5.0mm	10
E53-0532 / LV3232	Black	10.0mm	6.4mm	10
E53-0533 / LV3233	Black	13.9mm	10.5mm	10
E53-0534 / LV3234	Black	20.1mm	15.5mm	10
E53-0535 / LV3235	Black	25.1mm	18.9mm	10
E53-0536 / LV3236	Black	31.7mm	25.0mm	10

Rubber Grommets with Closed Hole



Part No.	Colour	Outside Dia.	Hole Dia.	Pack Size
E53-0540 / LV3240	Black	6.0mm	N/A	10
E53-0541 / LV3241	Black	7.2mm	N/A	10
E53-0542 / LV3242	Black	10.0mm	N/A	10
E53-0543 / LV3243	Black	13.9mm	N/A	10
E53-0544 / LV3244	Black	20.1mm	N/A	10
E53-0545 / LV3245	Black	25.1mm	N/A	10
E53-0546 / LV3246	Black	31.7mm	N/A	10

A21-6544

Universal Rubber Grommet

- Universal Rubber Grommet
- Suits: 34.0mm Hole
- Minimum Open Hole Dia: 10.0mm
- Maximum Open Hole Dia: 26.0mm



Grommets

E53-0550

Rubber Grommet Assortment

- Rubber Grommet Assortment
- Kit contains a total of 170 assorted Open & Closed Grommets



Part No.	Description	QTY.
E53-0530 / LV3230	Rubber Grommet with Open Hole	20
E53-0531 / LV3231	Rubber Grommet with Open Hole	202
E53-0532 / LV3232	Rubber Grommet with Open Hole	20
E53-0533 / LV3233	Rubber Grommet with Open Hole	10
E53-0534 / LV3234	Rubber Grommet with Open Hole	10
E53-0535 / LV3235	Rubber Grommet with Open Hole	5
E53-0540 / LV3240	Rubber Grommet with Open Hole	20
E53-0541 / LV3241	Rubber Grommet with Open Hole	20
E53-0542 / LV3242	Rubber Grommet with Open Hole	20
E53-0543 / LV3243	Rubber Grommet with Open Hole	10
E53-0544 / LV3244	Rubber Grommet with Open Hole	10
E53-0545 / LV3245	Rubber Grommet with Open Hole	5

E53-0630

Snap Bush Assortment


- Snap Bush Assortment
- Kit contains a total of 260 pieces ranging from 7.8mm to 38.1mm mounting hole



Part No.	Mounting Hole	Qty.
E53-0600	7.8mm	50
E53-0601	9.5mm	50
E53-0602	12.7mm	50
E53-0603	15.9mm	20
E53-0604	19.0mm	20
E53-0605	22.2mm	20
E53-0606	25.5mm	20
E53-0607	30.0mm	20
E53-0608	38.1mm	10

Grommets

Snap Bushing



Part No.	Mounting Hole	A	B	C	D	Pack Size
E53-0600	7.8	5.8	10.5	8.0	1.6	100
E53-0600/25						25
E53-0601	9.5	6.4	12.0	10.3	1.6	100
E53-0601/25						25
E53-0602	12.7	8.0	15.0	10.3	1.6	100
E53-0602/25						25
E53-0603	15.9	12.7	18.6	10.3	1.6	100
E53-0603/25						25
E53-0604	19.0	14.3	21.7	10.3	1.6	100
E53-0604/25						25
E53-0605	22.2	17.5	24.2	11.5	1.6	100
E53-0625/25						25
E53-0606	25.5	19.1	28.5	11.5	1.6	100
E53-0606/25						25
E53-0607	30.0	24.1	33.3	11.5	1.6	100
E53-0607/25						25
E53-0608	38.1	29.0	42.1	11.4	1.6	100
E53-0608/25						25
E53-0609	44.5	35.4	47.8	11.6	1.6	100
E53-0609/25						25



Pro-Series

Crimp Terminals

Vinyl Insulated Male Blade Terminal



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0021 / LV2521	Vinyl Insulated Male Blade Terminal		Red	2.5 - 3mm	6.3 x 0.8mm 1/4"	14
E60-0023 / LV2523	Vinyl Insulated Male Blade Terminal		Blue	4mm	6.3 x 0.8mm 1/4"	14
E60-0025 / LV2525	Vinyl Insulated Male Blade Terminal		Yellow	5 - 6mm	6.3 x 0.8mm 1/4"	11

Vinyl Insulated Female Blade Terminal



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0055	Vinyl Insulated Female Blade Terminal		Red	2.5 - 3mm	6.3 x 0.8mm 1/4"	50
E60-0057 / LV2555	Vinyl Insulated Female Blade Terminal		Blue	4mm	6.3 x 0.8mm 5/16"	100
E60-0061 / LV2561	Vinyl Insulated Female Blade Terminal		Yellow	5 - 6mm	6.3 x 0.8mm 1/4"	50
E60-0063 / LV2563	Vinyl Insulated Female Blade Terminal		Yellow	5 - 6mm	9.5 x 0.8mm 3/8"	50

Insulated Female Blade Terminal



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0073 / LV2573	Vinyl Fully Insulated Female Blade Terminal		Red	2.5 - 3mm	6.3 x 0.8mm 1/4"	100
E60-0077 / LV2577	Vinyl Fully Insulated Female Blade Terminal		Blue	4mm	6.3 x 0.8mm 1/4"	100
E60-0081 / LV2581	Vinyl Fully Insulated Female Blade Terminal		Yellow	5 - 6mm	6.3 x 0.8mm 1/4"	50

*We supply
what you need*



Pro-Series

Crimp Terminals

Insulated Male Bullet Terminal



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0090 / LV2590	Vinyl Insulated Male Bullet Terminal	Red		2.5 - 3mm	4mm 5/32"	12
E60-0095 / LV2595	Vinyl Insulated Male Bullet Terminal	Blue		4mm	5mm 3/16"	100
E60-0099 / LV2599	Vinyl Insulated Male Bullet Terminal	Yellow		5 - 6mm	5mm 3/16"	50

Insulated Female Bullet Terminal



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0111 / LV2611	Vinyl Insulated Female Bullet Terminal	Red		2.5 - 3mm	4mm 5/32"	100
E60-0115 / LV2615	Vinyl Insulated Female Bullet Terminal	Blue		4mm	5mm 3/16"	100
E60-0119 / LV2619	Vinyl Insulated Female Bullet Terminal	Yellow		5 - 6mm	5mm 3/16"	50

Vinyl Insulated Cable Joiner



Part No.	Description	Colour		Wire Size	Qty.
E60-0121 / LV2621	Vinyl Insulated Cable Joiner	Red		2.5 - 3mm	100
E60-0123 / LV2623	Vinyl Insulated Cable Joiner	Blue		4mm	100
E60-0125 / LV2625	Vinyl Insulated Cable Joiner	Yellow		4mm	50



Pro-Series

Crimp Terminals

Vinyl Insulated Spade Terminal



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0143 / LV2643	Vinyl Insulated Spade Terminal		Red	2.5 - 3mm	4mm 5/32"	100
			Red			
E60-0147 / LV2647	Vinyl Insulated Spade Terminal		Blue	4mm	5mm 3/16"	100
			Blue			

Vinyl Insulated Pin Terminal



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0210 / LV2710	Vinyl Insulated Pin Terminal		Red	2.5 - 3mm	2mm	25
E60-0211 / LV2711			Blue	4mm		
E60-0212 / LV2712			Yellow	5 - 6 mm	2.5mm	

Non-Insulated Brass Male Blade Terminal



Part No.	Description	Wire Size	Tab/Dia. Size	Qty.
E60-0221 / LV2721	Non-Insulated Brass Male Blade Terminal	1 - 4mm	6.3 x 0.8mm	100



Pro-Series

Crimp Terminals

Non-Insulated Brass Female Blade Terminal



Part No.	Description	Wire Size	Tab/Dia. Size	Qty.
E60-0232 / LV2732	Non-Insulated Brass Female Blade Terminal	1 - 4mm	6.3 x 0.8mm	100



Part No.	Description	Colour		Wire Size	Tab/Dia. Size	Qty.
E60-0153 / LV2653	Vinyl Insulated Ring Terminal		Red	2.5 - 3mm	4mm 5/32"	100
E60-0155 / LV2655	Vinyl Insulated Ring Terminal		Red	2.5 - 3mm	5mm 3/16"	100
E60-0157 / LV2657	Vinyl Insulated Ring Terminal		Red	2.5 - 3mm	6.3mm 1/4"	100
E60-0163 / LV2663	Vinyl Insulated Ring Terminal		Blue	4mm	5mm 3/16"	100
E60-0165 / LV2665	Vinyl Insulated Ring Terminal		Blue	4mm	6.3mm 1/4"	100
E60-0167 / LV2667	Vinyl Insulated Ring Terminal		Blue	4mm	8.4mm 5/16"	100
E60-0169 / LV2669	Vinyl Insulated Ring Terminal		Blue	4mm	9.5mm 3/8"	100
E60-0173 / LV2673	Vinyl Insulated Ring Terminal		Yellow	5 - 6mm	5mm 3/16"	100
E60-0175 / LV2675	Vinyl Insulated Ring Terminal		Yellow	5 - 6mm	6.3mm 1/4"	50
E60-0177 / LV2677	Vinyl Insulated Ring Terminal		Yellow	5 - 6mm	8.4mm 5/16"	50
E60-0179 / LV2679	Vinyl Insulated Ring Terminal		Yellow	5 - 6mm	9.5mm 3/8"	50
E60-0181 / LV2681	Vinyl Insulated Ring Terminal		Yellow	4mm	13mm 1/2"	50



Pro-Series

Crimp Terminals

E60-1000

Terminal Assortment

- Terminal Assortment Kit
- Kit contains: An assortment of Crimp Terminals & Ratchet Crimping Tool



Description	Colour	Qty.
Insulated Male Blade Terminal	Red	100
Insulated Male Blade Terminal	Blue	100
Insulated Male Blade Terminal	Yellow	50
Fully Insulated Female Blade Terminal	Red	50
Fully Insulated Female Blade Terminal	Blue	50
Insulated Female Blade Terminal	Red	50
Insulated Female Blade Terminal	Blue	50
Insulated Male Bullet Terminal	Red	50
Insulated Male Bullet Terminal	Blue	50
Insulated Female Bullet Terminal	Red	50
Insulated Female Bullet Terminal	Blue	50
Wire Joiner Fully Insulated	Red	50
Insulated Male Blade Terminal	Blue	50
Wire Joiner Fully Insulated	Yellow	50
Ring Terminal 5.0 Tab	Red	50
Ring Terminal 5.0 Tab	Blue	50
Ring Terminal 6.3 Tab	Blue	50
Ring Terminal 6.3 Tab	Yellow	25
Ring Terminal 8.4 Tab	Yellow	25
Ring Terminal 9.5 Tab	Yellow	25
Ratchet Crimping Tool	-	1



Pro-Series

Trailer Plugs And Socket

E59-3003

Trailer Plug

- Large 7 Pin Round Steel Trailer Plug
- Complies with ADR 42/03
- 30 Amp Rating



E59-3004

Trailer Socket

- Large 7 Pin Round Steel Trailer Socket
- Complies with ADR 42/03
- 30 Amp Rating



E63-15-336S

Heavy Duty 2 Pole Plug

- Heavy Duty 2 Pole Metal Plug
- Provides Separate Power & Ground Connections
- 100 Amp Capacity
- Use with [E63-15-326S](#)



E63-15-326S

Heavy Duty 2 Pole Socket

- Heavy Duty 2 Pole Metal Socket
- Provides Separate Power & Ground Connections
- 100 Amp Capacity
- Use with [E63-15-336S](#)



E59-3100

Trailer Plug

- 13 Pin Trailer Plug
- Nickel plated brass contacts



E61-3101

Trailer Socket

- 13 Pin Trailer Socket
- Nickel plated brass contacts





Pro-Series

Anderson Connectors

E59-1032 / LV2401

Anderson Connectors

- Anderson Connector
- Terminals included
- 1 pair per pack
- Rating: 175 Amp
- Colour: Grey



E59-1033 / LV2402

Anderson Connectors

- Anderson Connector
- Terminals included
- 1 pair per pack
- Rating: 1350 Amp
- Colour: Grey



E59-1051 / LV2421

Anderson Plug Cover

- Anderson Plug Cover
- Suit: 175 Amp Anderson connector ([E59-1032](#))



E59-1053 / LV2423

Anderson Plug Cover

- Anderson Plug Cover
- Suit: 1350 Amp Anderson connector ([E59-1033](#))





Pro-Series

Low Voltage Plugs & Sockets

E59-3050

Anderson Connectors

- Plastic Body with Flat End
- 2 Screw Terminals
- Use with [E59-3051](#) Socket



E59-3051

Anderson Connectors

- Aluminum Body with Plastic Spring Loaded Cover
- 2 Blade Terminals
- Use with [E59-3050](#) Plug



E59-3070

Anderson Plug Cover

- 3 Pin Plastic Plug with Cap
- 2 x 25 Amp Terminals
- 1 x 5 Amp Terminal



E59-3071 / LV1714

Anderson Plug Cover

- 3 Pin Plastic Socket
- 2 x 25 Amp Terminals
- 1 x 5 Amp Terminal





Pro-Series

Mini Deutsch Connectors

E63-1002 / LV2210

2 Way Mini Deutsch Connector Kit

• Kit Breakdown

Description	Qty	Reference
2 Way Plug	1	DTM04-2P
2 Way Socket	1	DTM06-2S
Wedge	1	WM-2P
Wedge	1	WM-2S
Solid Pin	2	0460-202-20141
Solid Socket	2	0462-201-20141

E63-1003 / LV2211

3 Way Mini Deutsch Connector Kit

• Kit Breakdown

Description	Qty	Reference
3 Way Plug	1	DTM04-3P
3 Way Socket	1	DTM06-3S
Wedge	1	WM-3P
Wedge	1	WM-3S
Solid Pin	3	0460-202-20141
Solid Socket	3	0462-201-20141

E63-1004 / LV2212

4 Way Mini Deutsch Connector Kit

• Kit Breakdown

Description	Qty	Reference
4 Way Plug	1	DTM04-4P
4 Way Socket	1	DTM06-4S
Wedge	1	WM-4P
Wedge	1	WM-4S
Solid Pin	4	0460-202-20141
Solid Socket	4	0462-201-20141

E63-1006 / LV2213

6 Way Mini Deutsch Connector Kit

• Kit Breakdown

Description	Qty	Reference
6 Way Plug	1	DTM04-6P
6 Way Socket	1	DTM06-6S
Wedge	1	WM-6P
Wedge	1	WM-6S
Solid Pin	6	0460-202-20141
Solid Socket	6	0462-201-20141

E63-1008 / LV2214

8 Way Mini Deutsch Connector Kit

• Kit Breakdown

Description	Qty	Reference
8 Way Plug	1	DTM04-8P
8 Way Socket	1	DTM06-8S
Wedge	1	WM-8P
Wedge	1	WM-8S
Solid Pin	8	0460-202-20141
Solid Socket	8	0462-201-20141

E63-1012 / LV2215

12 Way Mini Deutsch Connector Kit

• Kit Breakdown

Description	Qty	Reference
12 Way Plug	1	DTM04-12P
12 Way Socket	1	DTM06-12S
Wedge	1	WM-12P
Wedge	1	WM-12S
Solid Pin	12	0460-202-20141
Solid Socket	12	0462-201-20141



Pro-Series

Deutsch Connectors

E63-0002

2 Way Deutsch Connector Kit



• Kit Breakdown

Part No.	Description	Qty	Reference
E63-0050 / LV2040	2 Way Plug	1	DT04-2P
E63-0052 / LV2042	2 Way Socket	1	DT06-2S
E63-0080 / LV2070	Wedge	1	W2P
E63-0082 / LV2072	Wedge	1	W2S
E63-0260	Solid Pin	2	0460-215-16141
E63-0261	Solid Socket	2	0462-209-16141

E63-0003

3 Way Deutsch Connector Kit



• Kit Breakdown

Part No.	Description	Qty	Reference
E63-0054 / LV2044	3 Way Plug	1	DT04-3P
E63-0056 / LV2046	3 Way Socket	1	DT06-3S
E63-0084 / LV2074	Wedge	1	W3P
E63-0086 / LV2076	Wedge	1	W3S
E63-0260	Solid Pin	3	0460-215-16141
E63-0261	Solid Socket	3	0462-209-16141

E63-0004

4 Way Deutsch Connector Kit



• Kit Breakdown

Part No.	Description	Qty	Reference
E63-0058 / LV2048	4 Way Plug	1	DT04-4P
E63-0060 / LV2050	4 Way Socket	1	DT06-4S
E63-0088 / LV2078	Wedge	1	W4P
E63-0090 / LV2080	Wedge	1	W4S
E63-0260	Solid Pin	4	0460-215-16141
E63-0261	Solid Socket	4	0462-209-16141

E63-0006

6 Way Deutsch Connector KIT



• Kit Breakdown

Part No.	Description	Qty	Reference
E63-0062 / LV2052	6 Way Plug	1	DT04-6P
E63-0064 / LV2054	6 Way Socket	1	DT06-6S
E63-0092 / LV2082	Wedge	1	W6P
E63-0094 / LV2084	Wedge	1	W6S
E63-0260	Solid Pin	6	0460-215-16141
E63-0261	Solid Socket	6	0462-209-16141

E63-0008

8 Way Deutsch Connector Kit



• Kit Breakdown

Part No.	Description	Qty	Reference
E63-0066 / LV2056	8 Way Plug	1	DT04-8P
E63-0068 / LV2058	8 Way Socket	1	DT06-8S
E63-0096 / LV2086	Wedge	1	W8P
E63-0098 / LV2088	Wedge	1	W8S
E63-0260	Solid Pin	8	0460-215-16141
E63-0261	Solid Socket	8	0462-209-16141

E63-0012

12 Way Deutsch Connector Kit



• Kit Breakdown

Part No.	Description	Qty	Reference
E63-0070 / LV2060	12 Way Plug	1	DT04-12P
E63-0072 / LV2062	12 Way Socket	1	DT06-12S
E63-0100 / LV2090	Wedge	1	W12P
E63-0102 / LV2092	Wedge	1	W12S
E63-0260	Solid Pin	12	0460-215-16141
E63-0261	Solid Socket	12	0462-209-16141

Deutsch Connectors

E63-1000

Deutsch Connector Kit

- Deutsch Connector Kit with Crimping Tool
- Kit includes: 2 way through to 12 way plugs, sockets & wedges, plus pins & socket terminals to suit



Part No.	Description	Qty.	Reference
E63-0050 / LV2040	2 Way Plug	5	DT04-2P
E63-0052 / LV2042	2 Way Socket	5	DT06-2S
E63-0054 / LV2044	3 Way Plug	4	DT04-3P
E63-0056 / LV2046	3 Way Socket	4	DT06-3S
E63-0058 / LV2048	4 Way Plug	3	DT04-4P
E63-0060 / LV2050	4 Way Socket	3	DT06-4S
E63-0062 / LV2052	6 Way Plug	2	DT04-6P
E63-0064 / LV2054	6 Way Socket	2	DT06-6S
E63-0066 / LV2056	8 way Plug	1	DT04-8P
E63-0068 / LV2058	8 Way Socket	1	DT06-8S
E63-0070 / LV2060	12 Way Plug	1	DT04-12P
E63-0072 / LV2062	12 Way Socket	1	DT06-12S
E63-0080 / LV2070	2 Way Wedge	5	W2P
E63-0082 / LV2072	2 Way Wedge	5	W2S
E63-0084 / LV2074	3 Way Wedge	4	W3P
E63-0086 / LV2076	3 Way Wedge	4	W3S
E63-0088 / LV2078	4 Way Wedge	3	W4P
E63-0090 / LV2080	4 Way Wedge	3	W4S
E63-0092 / LV2082	6 Way Wedge	2	W6P
E63-0094 / LV2084	6 Way Wedge	2	W6S
E63-0096 / LV2086	8 Way Wedge	1	W8P
E63-0098 / LV2088	8 Way Wedge	1	W8S
E63-0100 / LV2090	12 Way Wedge	1	W12P
E63-0102 / LV2092	12 Way Wedge	1	W12S
E63-0290 / LV2071	Blanking Plug	12	114017
E63-0260	Solid Pin Terminal Size 14	70	114017
E63-0261	Solid Socket Terminal Size 14	70	0462-209-16141
E58-0150 / LV2100	Deutsch Crimping Tool Size 16	1	-



Pro-Series

Weather Pack

E63-EWP-01K

1 Way Weather Pack Connector Kit



• Kit Breakdown

Description	Qty	Reference
1 Way Plug	1	12015791
1 Way Socket	1	12010996
Pin Terminal	1	12124582
Socket Terminal	1	12124580
Green Wire Seal	2	12015323

E63-2002

2 Way Weather Pack Connector Kit



• Kit Breakdown

Description	Qty	Reference
2 Way Plug	1	12015792
2 Way Socket	1	12010973
Pin Terminal	2	12124582
Socket Terminal	2	12124580
Green Wire Seal	4	12015323

E63-2003

3 Way Weather Pack Connector Kit



• Kit Breakdown

Description	Qty	Reference
3 Way Plug	1	12015793
3 Way Socket	1	12010717
Pin Terminal	3	12124582
Socket Terminal	3	12124580
Green Wire Seal	6	12015323

E63-2004

4 Way Weather Pack Connector Kit



• Kit Breakdown

Description	Qty	Reference
4 Way Plug	1	12015797
4 Way Socket	1	12010974
Pin Terminal	4	12124582
Socket Terminal	4	12124580
Green Wire Seal	8	12015323

E63-2006

6 Way Weather Pack Connector Kit



• Kit Breakdown

Description	Qty	Reference
6 Way Plug	1	12015799
6 Way Socket	1	12010975
Pin Terminal	6	12124582
Socket Terminal	6	12124580
Green Wire Seal	12	12015323



Pro-Series

Weather Pack

Green Wire Seal



- Suits Terminal Part Numbers: **E63-2200**
E63-2201
E63-2202
E63-2203

Part No.	Description	Qty	Reference
E63-2101 / LV2341	Green Wire Seal	100	15324982

Socket Terminal



Note: Use Green Wire Seals

Part No.	Description	Qty	Reference
E63-2201 / LV2351	Socket Terminal 0.5 - 2.0mm ²	100	12124582

Pin Terminal



Note: Use Green Wire Seals

Part No.	Description	Qty	Reference
E63-2203 / LV2353	Pin Terminal 0.5 - 2.0mm ²	100	12124582

Weather Pack Removal Tool



Part No.	Description	Qty	Reference
E63-2300 / LV8012	Weather Pack Removal Tool	1	12014012



Pro-Series

Wheather Pack

E63-EWP-TK1

Delphi Weather Pack Assortment Kit

- Delphi Weather Pack Assortment Kit
- Kit includes:
 - 1, 2, 3, 4 & 6 Way Weather Pack Plugs & Sockets with Seals & Terminals to suit
- Also included is a Weather Proof Fuse Holder & the Delphi Weather Pack Removal Tool



Description	Qty.	Reference
1 Way Female Connectors	5	12015791
1 Way Male Connectors	5	12010996
2 Way Female Connectors	4	12015792
2 Way Male Connectors	4	12010973
3 Way Female Connectors	3	12015793
3 Way Male Connectors	3	12010717
4 Way Female Connectors	2	12015797
4 Way Male Connectors	2	12010974
6 Way Female Connectors	1	12015799
6 Way Male Connectors	1	12010975
Large Barrel Socket Terminals	50	12124581
Large Barrel Pin Terminals	50	12124587
Small Barrel Socket Terminals	50	12124580
Small Barrel Pin Terminals	50	12124582
Purple Wire Seal	50	-
Green Wire Seal	50	12015323
Blue Wire Seal	50	12015193
Blanking Seals	20	12010300
Pre-Wired Fuse Holder	2	-
Removal Tool	1	12014012




Pro-Series

Quick Connector

Quick Connector Housings

- Quick Connect Housings with 6.3mm Terminals




Note: Supplied with Terminals

Part No.	Description	Qty.
E59-2010	1 Way Male Connector	10
E59-2011	1 Way Female Connector	
E59-2000	2 Way Male Connector	10
E59-2001	2 Way Female Connector	
E59-2002	3 Way Male Connector	10
E59-2003	3 Way Female Connector	
E59-2004	4 Way Male Connector	10
E59-2005	4 Way Female Connector	
E59-2006	6 Way Male Connector	10
E59-2007	6 Way Female Connector	
E59-2008	8 Way Male Connector	10
E59-2009	8 Way Female Connector	


Black Quick Connect Housings

- Black Quick Connect Housings
- Terminal Not Included



Part No.	Description	Qty.
E59-2020	1 Way Female Connector	10
E59-2026	1 Way Male Connector	
E59-2021	2 Way Female Connector	10
E59-2027	2 Way Male Connector	
E59-2022	3 Way Female Connector	10
E59-2028	3 Way Male Connector	
E59-2023	4 Way Female Connector	10
E59-2029	4 Way Male Connector	
E59-2024	6 Way Female Connector	10
E59-2030	6 Way Male Connector	
E59-2025	8 Way Female Connector	10
E59-2031	8 Way Male Connector	

Fusible Link Connectors



Part No.	Description	Qty.
E59-2060	Single Female Fusible Link Connector	10
E59-2061	Single Male Fusible Link Connector	
E59-2062	Double Female Fusible Link Connector	10
E59-2063	Double Male Fusible Link Connector	


*We supply
what you need*



Pro-Series

Quick Connector

Fusible Link Connectors



Part No.	Description	Qty.
E59-2070	Single Female Fusible Link Connector	10
E59-2071	Single Male Fusible Link Connector	
E59-2072	Double Female Fusible Link Connector	10
E59-2073	Double Male Fusible Link Connector	

Fusible Link Terminal



Part No.	Description	Qty.
E59-2064	Male Fusible Link Terminal	25
E59-2065	Female Fusible Link Terminal	

E59-2015

Quick Connector Assortment

- Quick Connector Assortment with Terminals

- Kit contains: An assortment of 90 Quick Connectors & Terminals to suit

Note: See Table for Sizes & Quantity



Part No.	Description	Qty.
E59-2010	1 Way Male Connector	10
E59-2011	1 Way Female Connector	10
E59-2000	2 Way Male Connector	10
E59-2001	2 Way Female Connector	10
E59-2002	3 Way Male Connector	10
E59-2003	3 Way Female Connector	10
E59-2004	4 Way Male Connector	10
E59-2005	4 Way Female Connector	10
E59-2006	6 Way Male Connector	5
E59-2007	6 Way Female Connector	5
E60-0221 / LV2721	Non-Insulated Male Blade Terminal	130
E60-0232 / LV2732	Non-Insulated Female Blade Terminal	130



Pro-Series

Connector

E59-2501

Relay Block

- Mini Relay Connector
- Suits 4 & 5 Pin Relays
- Includes: 6.3 x 0.8mm Terminals
- 5 per pack



E75-4973



Hella Relay Connector

- Suits 4 & 5 Pin Relays
- Includes: 6.3 x 0.8mm Terminals
- 5 per pack



Fuse

Standard Blade Fuses (ATS)



Part No.	Amp.	Colour		Pack Size
E54-0703 / LV5591/100	5		Orange	100
E54-0705 / LV5592/100	7.5		Brown	100
E54-0707 / LV5593/100	10		Red	100
E54-0709 / LV5594/100	15		Blue	100
E54-0711 / LV5595/100	20		Yellow	100
E54-0713 / LV5596/100	25		White	100
E54-0715 / LV5597/100	30		Green	100




Pro-Series

Fuse

1AG Glass Fuses


- Externally Soldered



Part No.	Amp.	Pack Size
E54-0100	1	10
E54-0101	3	100
E54-0102	3	10
E54-0103	5	10
E54-0104	10	10
E54-0105	15	10
E54-0106	20	10
E54-0107	30	10

2AG Glass Fuses


- Externally Soldered



Part No.	Amp.	Pack Size
E54-0200	1	10
E54-0201	3	10
E54-0202	5	10
E54-0203	7.55	10
E54-0205	15	10
E54-0206	15	100
E54-0207	20	10
E54-0208	25	10
E54-0209	30	10
E54-0210	35	10

3AG Glass Fuses

- Externally Soldered




Part No.	Amp.	Pack Size
E54-0300	1	10
E54-0302	2	10
E54-0303	2	100
E54-0304	3	10
E54-0305	3	100
E54-0306	5	10
E54-0307	5	100
E54-0308	7.5	10
E54-0309	7.5	100
E54-0310	10	10
E54-0311	10	100
E54-0312	15	10
E54-0313	15	100
E54-0314	20	10
E54-0315	20	100
E54-0316	25	10
E54-0317	25	100
E54-0318	30	10
E54-0319	30	100
E54-0320	35	10
E54-0321	35	100
E54-0322	50	10

Pro-Series Fuse

SFE Glass Fuses


- Externally Soldered



Part No.	Amp.	Pack Size
E54-0401	14	10
E54-0402	14	100

Electronic Glass Fuses 250V


- Externally Soldered



Part No.	Amp.	Pack Size
E54-0450	0.5	10
E54-0452	2	10
E54-0453	3	10
E54-0455	6.3	10
E54-0456	10	10


Multimeter Fuses

- Fuses to Suit Multimeters



Part No.	Amp.
E54-0300	1
E54-0302	2
E54-0303	2
E54-0304	3
E54-0305	3

Ceramic Fuses (GBC)



Part No.	Amp.	Colour	Pack Size
E54-0500	5	Yellow	10
E54-0501		Yellow	100
E54-0502	8	White	10
E54-0503		White	100
E54-0504	16	Red	10
E54-0505		Red	100
E54-0506	25	Navy	10
E54-0507		Navy	100




Pro-Series

Fuse

Midi Series Bolt in Fuses

Part No.	Amp.	Pack Size
E54-3022 / LV5352	50	1




Fuse Holder

Midi & Mega Fuse Holder

- Fuse Holders to Midi & Mega Fuses

Part No.	Description	Pack Size
E54-3041 / LV5378	MEGA Fuse Holder	1
E63-ELF-498 / LV5372	Midi Fuse Block	1





Pro-Series

Fuse Holder

Weather Proof Fuse Box with Clear Cover

- Weather Proof Fuse Box with Clear Cover
- Blade terminal Connection
- Suits: Standard Blade Fuses (ATS) 3-40 Amp

Part No.	Description	Pack Size
E54-5040 / LV5440	4 Way Fuse Holder	1
E54-5042 / LV5441	6 Way Fuse Holder	1



In-Line Fuse Holder

Midi Series Bolt in Fuses

- Cable Connection
- Suits: Standard Blade Fuses (ATS) Fuses 3 - 35 Amp



Weather Proof In-Line Fuse Holder

- Cable Connection
- Suits: Mini Blade Fuses (ATN) Fuses 3 - 30 Amp



Panel Mount Blade Fuse Holder

- Push on Blade Terminals
- Suits: Standard Blade Fuses (ATS) 3 - 35 Amp





Pro-Series

Fuse Assorment

E54-0560 / LV5422

Micro Fuse Assortment

- Micro Fuse Assortment Kit
- Kit Contains: An Assortment of Micro Blade Fuses & Fuse Removal Tool



Description	Amp	Qty
Micro Fuse	5	10
Micro Fuse	7.5	10
Micro Fuse	10	15
Micro Fuse	15	25
Micro Fuse	20	15
Micro Fuse	25	10
Micro Fuse	30	15
Fuse Tool	-	1

E54-2000 / LV5423

Fuse Assortment

- Fuse Assortment Kit
- Part Numbers are Labelled on the lid for easy identification
- Kit Contains: An Assortment of Glass, Mini Blade, Standard Blade & Maxi Blade Fuses




Description	Amp	Qty
3AG Glass Fuse	10	20
3AG Glass Fuse	15	20
3AG Glass Fuse	25	20
Mini Blade Fuse	10	20
Mini Blade Fuse	15	20
Mini Blade Fuse	20	20
Standard Blade Fuse	3	20
Standard Blade Fuse	5	20
Standard Blade Fuse	7.5	20
Standard Blade Fuse	10	20
Standard Blade Fuse	15	20
Standard Blade Fuse	20	20
Standard Blade Fuse	25	20
Standard Blade Fuse	30	20
Maxi Blade Fuse	30	2
Maxi Blade Fuse	40	2
Maxi Blade Fuse	60	2
Maxi Blade Fuse	100	2



Pro-Series


Circuit Breaker

Type 1 Cycling Circuit Breakers




Part No.	Pack Size
E51-0012 / LV4732	15
E51-0013 / LV4733	20
E51-0014 / LV4734	25
E51-0015 / LV4735	30
E51-0016 / LV4736	40

Panel Mount Circuit Breaker



Part No.	Pack Size
E51-0211	15
E51-0213	25

Klixon Manual Reset Circuit Breakers



Part No.	Pack Size
E63-ETI-15-1	15
E63-ETI-30-1	30
E63-ETI-80-1	80




Pro-Series

Circuit Breaker

Manual Reset Circuit Breaker Panel Mount

Part No.	Amp
E51-5700-K10-10	10
E51-5700-K10-15	15



E51-0100

- Rubber Boot to suit ETA Panel Mount Circuit Breakers
- 1 per pack




Circuit Breaker

E50-0004

Mini Relay 12V 30 Amp (N/O) / 40 Amp (N/C) - 5 Pin


- Continuous Duty
- Resistor Protected
- Change Over Contacts
- Silver Contacts
- Removable Metal Bracket



E50-0005

Mini Relay 24V 30 Amp (N/O) / 40 Amp (N/C) - 5 Pin

- Continuous Duty
- Resistor Protected
- Change Over Contacts
- Silver Contacts
- Removable Metal Bracket



E50-0006

Mini Relay 12V 40 Amp (N/O) - 4 Pin


- Resistor Protected
- Suits: Ford Applications
- Removable Metal Bracket
- Replaces Bosch 0 332 019 457



E50-0012

Mini Relay 24V 40 Amp (N/O) - 4 Pin


- Continuous Duty
- Resistor Protected
- Silver Contacts
- Removable Metal Bracket



E50-0031 / LV4515

Fused Mini Relay 12V 30 Amp - 4 Pin


- Fused Mini Relay 12V
- Supplied with 1 x 20 Amp Fuse
- Removable Metal Bracket



E50-0032 / LV4516

Fused Mini Relay 24V 20 Amp - 4 Pin

- Fused Mini Relay 24V
- Supplied with 1 x 20 Amp Fuse
- Removable Metal Bracket





Pro-Series

Battery Relay

E50-0101

Battery Relay

- Battery Relay 12V
- Suits: Komatsu & Industrial Use



E50-0103

Battery Relay

- Battery Relay 24V
- Suits: Isuzu TD, TX
- O.E Part No: 8255-0008,
60713-52330



E50-0104

Battery Relay

- Battery Relay 24V
- Suits: UD Application
- O.E Part No: 25613-Z2000,
25613-Z2002



E50-0105

Battery Relay

- Battery Relay 24V
- Suits: Komatsu Application
- O.E Part No: 08088-10000






Pro-Series

Flusher Unit


E50-1010 / LV4590



12V Electronic Flasher - 2 Pin

- Magnetic Type
- Non - Polarised
- 21 - 23 Watt
- Maximum 6 Bulbs


E50-1011



24V Electronic Flasher - 2 Pin

- Magnetic Type
- Non - Polarised
- 21 - 23 Watt
- Maximum 6 Bulbs


E50-1012 / LV4592



12V Electronic Flasher - 3 Pin

- Magnetic Type
- Non - Polarised
- 21 - 23 Watt
- Maximum 6 Bulbs

E50-1013



24V Electronic Flasher - 3 Pin

- Magnetic Type
- Non - Polarised
- 21 - 23 Watt
- Maximum 6 Bulbs

PROLEC

Pro-Series

Battery Charger

BCDC1225D

Battery Charger

- Enjoy the freedom of solar power
- Multi-stage charging
- Fast-charging 25 amp output
- Allows for flexible installation in 12 or 24 volt vehicles



BCDC1240D

Battery Charger

- Multi-stage charging saves you money by maximising battery life
- Increase run time of loads like fridges and lights
- Allows for flexible installation in 12 or 24 volt vehicles
- Overcomes voltage drop caused by long cable runs





Pro-Series

Power Product

Linear Single Circuit Voltage Reducers

- 24V DC to 12V DC (Regulated 13.8V DC Output)
- Suitable for electronic & communication equipment
- Including : CD Players, CB Radio, 2 Way Radio, Mobile Phone & Depth Sounders
- C-Tick Approved



Part No.	Power Output	Load Rating	Dimensions
E57-0007	85W	7A	10 x 135 x 75mm
E57-0010	120W	10A	156 x 135 x 75mm
E57-0020	240W	20A	300 x 135 x 75mm
E57-0030	360W	30A	450 x 135 x 75mm

Daytime Running Light Module

- The microprocessor - controlled KOLO (Key On Lights On) is a day time running lights system, suitable for negative - earth vehicles
- It is used to Turn On The Headlights whenever The Ignition is Switched On



Part No.	Over Ride Option	Voltage	Dimensions
E57-0802	YES	10 - 15V DC	90 x 70 x 32mm
E57-0803	YES	20 - 30V DC	90 x 70 x 32mm



Pro-Series

Power Product

E57-0820 / LCA1224

Low Water Level Alarm

- Low Water Level Alarm Kit 12/24V
- Kit Includes: Multi Volt Module with Internal Buzzer
Universal Probe & Terminals
- Dimensions: 65 x 40 x 25mm

REDARC



E57-0830 / HBA1224

12/24V Hand Break Alarm

- Hand Break Alarm 12/24V

REDARC



SMF Switch Mode Voltage Reducers

- 24V DC to 12V DC (Regulated 13.7V DC Output)
- Suitable for electronic & communication equipment
- Current Limiting at 110% of Nominal Rating
- Automatically shuts down if external fault is detected
- Protects equipment against electrical system voltage spikes
- C-Tick Approved

REDARC



Part No.	Over Ride Option	Voltage	Dimensions
E57-0105 / SMF5	60W	5A	100 x 45 x 30

- Unit has a memory wire



Pro-Series

Alarm & Horn

E56-0200 / LV7110

Reverse Alarm

- Reverse Alarm 12/80V 102dB
- Single Sound Level
- Solid state electronics sealed in urethane
- Voltage spike protected



E56-0202 / LV7112

Back Up Alarm

- Back Up Alarm 12/24V 87-112dB
- Self adjusting Sound Level
- Solid state electronics sealed in urethane
- Steam cleanable
- Voltage spike protected



E56-0211 / LV7121

Forward Horn

- Forward Horn 12/24V 112dB
- Continuous Sound
- Solid state electronics sealed in urethane
- Steam cleanable
- Voltage spike protected



E56-0210 / LV7120

Forward Horn

- Forward Horn 12/24V 107dB
- Continuous Sound
- Solid state electronics sealed in urethane
- Steam cleanable
- Voltage spike protected



E56-0112 / LV7116

Heavy Duty Reverse Alarm

- Reverse Alarm 12-36V 97, 107, 112dB
- Manually adjustable Sound Level
- Solid state electronics sealed in urethane
- Steam cleanable
- Voltage spike protected



Alarm & Horn

E56-2000

12V Electric Horn

- Disc Horn 12V Low Tone
- 340 Hz
- 2 Blade Terminals
- Diameter: 80mm
- Made in Italy



E56-2001

12V Electric Horn

- Disc Horn 12V Low Tone
- 430 Hz
- 2 Blade Terminals
- Diameter: 80mm
- Made in Italy



E56-2002

24V Electric Horn

- Disc Horn 24V Low Tone
- 340 Hz
- 2 Blade Terminals
- Diameter: 80mm
- Made in Italy



E56-2003

24V Electric Horn

- Disc Horn 24V Low Tone
- 430 Hz
- 2 Blade Terminals
- Diameter: 80mm
- Made in Italy



E56-2005

12V Air Horn

- Compact 12V Air Horn Kit
- Kit includes: Horns, Compressor, Nylon Hose, Mounting Equipment & Relay
- Made in Italy



E56-2006

24V Air Horn

- Compact 24V Air Horn Kit
- Kit includes: Horns, Compressor, Nylon Hose, Mounting Equipment & Relay
- Made in Italy



PROLEC

Pro-Series

Reverse Camera

E65-1000

7" Colour Reverse Camera System

High Quality Full Colour Reverse Camera System

Features Include:

- Dual Voltage 12/24V
- 7" Full Colour LCD Monitor
- Built in Control Module with 2 Camera Inputs
- Independent Trigger for each Camera
- Infra-Red Rear View Colour Camera - Sony CCD
- Built in Microphone
- Automatic Day/Night Sensor to provide a clear image in dull conditions
- Resolution: PAL 500(H) x 582(W),
NTSC 510(H) x 492(W)
- Lens Angle: 110° Diagonal
- 18 Infra-Red LED's for night vision - 10-12M
- IP68 Rated


Kit Contents:

- 1 x 7" LCD Screen
- 1 x Infra-Red Reverse Camera
- 1 x 20M Cable



Philip Lighting

H1 Headlight Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12258	12V	55W	P14.5s	1	H1	Standard Box
E74-12258PR	12V	55W	P14.5s	1	H1	Premium +30% Box
E74-12258PRB1	12V	55W	P14.5s	1	H1	Premium +30% Blister Pack
E74-13258	24V	70W	-	1	H1	Standard Box
E74-13258B1	24V	70W	-	1	H1	Standard Box

Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12258LLECO	12V	55W	P14.5s	1	-	LongLife EcoVision Box
E74-12258LLECOB1	12V	55W	P14.5s	1	-	LongLife EcoVision Blister Pack
E74-13258ML	24V	70W	P14.5s	1	-	MasterLife

High Wattage

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12425EVB1	12V	85W	P14.5s	1	-	EssentialVision Blister Pack
E74-12454	12V	100W	P14.5s	1	-	Essential Power-Rally Box
E74-12454B1	12V	100W	P14.5s	1	-	Essential Power-Rally Blister Pack

More Light

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12258PWVB1	12V	55W	P14.5s	1	H1	PowerVision +60% Blister Pack
E74-12258PWVS2	12V	55W	P14.5s	2	H1	PowerVision +60% Display Pack
E74-12258XVB1	12V	55W	P14.5s	1	H1	X-tremeVision +100% Blister Pack
E74-12258XVSM	12V	55W	P14.5s	2	H1	X-tremeVision +100% Display Pack

Clear White Light


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12258BVUB1	12V	55W	P14.5s	1	H1	BlueVision Ultra Blister Pack
E74-12258WHVS2	12V	55W	P14.5s	2	H1	WhiteVision Display Pack
E74-12425EVB1	12V	85W	P14.5s	1	-	EssentialVision Blister Pack
E74-12258CVB1	12V	55W	P14.5s	1	-	CrystalVision Blister Pack
E74-12258CVSM	12V	55W	P14.5s	2	-	CrystalVision Display Pack
E74-12258DVB1	12V	55W	P14.5s	1	-	DiamondVision Blister Pack
E74-12258DVBS2	12V	55W	P14.5s	2	-	DiamondVision Display Pack



Pro-Series

Philip Lighting

H3 Headlight Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12336	12V	55W	PK22s	1	H3	Standard Box
E74-12336PR	12V	55W	PK22s	1	H3	Premium +30% Box
E74-12336PRB1	12V	55W	PK22s	1	H3	Premium +30% Blister Pack
E74-13336	24V	70W	PK22s	1	H3	Standard Box
E74-13336B1	24V	70W	PK22s	1	H3	Standard Blister Pack

Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-13336ML	24V	70W	PK22s	1	H3	MasterLife Box

High Wattage

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12455	12V	100W	PK22s	1	-	Essential Box
E74-12455B1	12V	100W	PK22s	1	-	Essential Power-Rally Blister Pack
E74-13628	24V	100W	PK22s	1	-	Essential Power-Rally Box
E74-13628B1	24V	100W	PK22s	1	-	Essential Power-Rally Blister Pack

More Light

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12336PWVB1	12V	55W	PK22s	1	H3	PowerVision +60% Blister Pack
E74-12336PWVS2	12V	55W	PK22s	2	H3	PowerVision +60% Display Box

Clear White Light


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12336BVUB1	12V	55W	PK22s	1	H3	BlueVision Ultra Blister Pack
E74-12336WHVS2	12V	55W	PK22s	2	H3	WhiteVision Display Pack
E74-1336MDBVB1	24V	70W	PK22s	1	H3	MasterDuty BlueVision Blister Pack
E74-12336CVB1	12V	55W	PK22s	1	-	CrystalVision Blister Pack
E74-12336CVSM	12V	55W	PK22s	2	-	CrystalVision Display Pack
E74-12336DVB1	12V	55W	PK22s	1	-	DiamondVision Blister Pack
E74-12336DVS2	12V	55W	PK22s	2	-	DiamondVision Display Pack



Pro-Series

Philip Lighting

H4 Headlight Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12342	12V	60/55W	P43t-38	1	H4	Standard Box
E74-12342PR	12V	60/55W	P43t-38	1	H4	Premium +30% Box
E74-12342PRB1	12V	60/55W	P43t-38	1	H4	Premium +30% Blister Pack
E74-12342TP	12V	60/55W	P43t-38	40	H4	Standard Trade Pack
E74-13342	24V	75/70W	P43t-38	1	H4	Standard Box
E74-13342B1	24V	75/70W	P43t-38	1	H4	Standard Box
E74-13342TP	24V	75/70W	P43t-38	40	H4	Standard Trade Pack

Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12342LLECO	12V	60/55W	P43t-38	1	H4	LongLife EcoVision Box
E74-12342LLECOB1	12V	60/55W	P43t-38	1	H4	LongLife EcoVision Blister Pack
E74-13342ML	24V	75/70W	P43t-38	1	H4	MasterLife Box

High Wattage

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12569	12V	100/90W	P43t-38	1	-	Essential Power-Rally Box
E74-12569B1	12V	100/90W	P43t-38	1	-	Essential Power-Rally Blister Pack
E74-12459	12V	130/100W	P43t-38	1	-	Essential Power-Rally Box
E74-12459B1	12V	130/100W	P43t-38	1	-	Essential Power-Rally Blister Pack
E74-12569EVB1	12V	100/90W	P43t-38	1	-	EssentialVision Blister Pack
E74-24569	24V	100/90W	P43t-38	1	-	Essential Power-Rally Box

More Light


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12342PWVB1	12V	60/55W	P43t-38	1	H4	PowerVision +60% Blister Pack
E74-12342PWVS2	12V	60/55W	P43t-38	2	H4	PowerVision +60% Display Pack
E74-12342XVB1	12V	60/55W	P43t-38	1	H4	X-tremeVision +100% Blister Pack
E74-12342XVSM	12V	60/55W	P43t-38	2	H4	X-tremeVision +100% Display Pack

Clear White Light

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12342BVUB1	12V	60/55W	P43t-38	1	H4	BlueVision Ultra Blister Pack
E74-12342WHVS2	12V	60/55W	P43t-38	2	H4	WhiteVision Display Pack
E74-12569EVB1	12V	100/90W	P43t-38	1	-	EssentialVision
E74-13342MDBVB1	24V	75/70W	P43t-38	1	H4	MasterDuty BlueVision Blister Pack
E74-12342CVB1	12V	60/55W	P43t-38	1	-	CrystalVision Blister Pack
E74-12342CVSM	12V	60/55W	P43t-38	2	-	CrystalVision Display Pack
E74-12342DVB1	12V	60/55W	P43t-38	1	-	DiamondVision Blister Pack
E74-12342DVS2	12V	60/55W	P43t-38	1	-	DiamondVision Display Pack

Philip Lighting

H7 Headlight Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12972	12V	55W	PX26d	1	H7	Standard Box
E74-12972PR	12V	55W	PX26d	1	H7	Premium +30% Box
E74-12972PRB1	12V	55W	PX26d	1	H7	Premium +30% Blister Pack
E74-13972	24V	70W	PX26d	1	H7	Standard Box
E74-13972B1	24V	70W	PX26d	1	H7	Standard Blister Pack

Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12972LLECO	12V	55W	PX26d	1	H7	LongLife EcoVision Box
E74-12972LLECOB1	12V	55W	PX26d	1	H7	LongLife EcoVision Blister Pack
E74-13972ML	24V	70W	PX26d	1	H7	MasterLife Box

High Wattage

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12035EVB1	12V	80W	PX26d	1	-	EssentialVision Blister Pack
E74-12035	12V	80W	PX26d	1	-	Essential Power-Rally Box

More Light


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12972PWVB1	12V	55W	PX26d	1	H7	PowerVision +60% Blister Pack
E74-12972PWVS2	12V	55W	PX26d	2	H7	PowerVision +60% Display Pack
E74-12972XVB1	12V	55W	PX26d	1	H7	X-tremeVision +100% Blister Pack
E74-12972XVSM	12V	55W	PX26d	2	H7	X-tremeVision +100% Display Pack

Clear White Light

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12972BVUB1	12V	55W	PX26d	1	H7	BlueVision Ultra Blister Pack
E74-12972WHVS2	12V	55W	PX26d	2	H7	WhiteVision Display Pack
E74-12035EVB1	12V	80W	PX26d	1	-	Essential Vision Blister Pack
E74-13972MDBVB1	24V	70W	PX26d	1	H7	MasterDuty BlueVision Blister Pack
E74-12972CVB1	12V	55W	PX26d	1	-	CrystalVision Blister Pack
E74-12972CVSM	12V	55W	PX26d	2	-	CrystalVision Display Pack
E74-12972DVB1	12V	55W	PX26d	1	-	DiamondVision Blister Pack
E74-12972DVS2	12V	55W	PX26d	2	-	DiamondVision Display Pack

Philip Lighting

HB1 Headlight Globes




PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9004PR	12V	65/45W	P29T	1	HB1	Premium +30% Box
E74-9004PRB1	12V	65/45W	P29T	1	HB1	Premium +30% Blister Pack

HB3 Headlight Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9005PR	12V	55W	PX26d	1	H7	LongLife EcoVision Box
E74-9005PRB1	12V	55W	PX26d	1	H7	LongLife EcoVision Blister Pack

High Wattage

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12359	12V	100W	P20d	1	-	Essential Power-Rally
E74-12359B1	12V	100W	P20d	1	-	Essential Power-Rally Blister Pack

More Light


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9005XVB1	12V	60W	P20d	1	HB3	X-tremeVision +100% Blister Pack
E74-9005XVSM	12V	60W	P20d	2	HB3	X-tremeVision +100% Display Pack

Clear White Light

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9005BVUB1	12V	60W	P20d	1	HB3	BlueVision Ultra Blister Pack
E74-9005WHVS2	12V	60W	P20d	2	HB3	WhiteVision Display Pack
E74-9005CVB1	12V	60W	P20d	1	-	Crystal Vision Blister Pack
E74-9005CVSM	12V	60W	P20d	2	-	Crystal Vision Display Pack
E74-9005DVB1	12V	60W	P20d	1	-	DiamondVision Blister Pack
E74-9005DVS2	12V	60W	P20d	2	-	DiamondVision Display Pack

Philip Lighting

HB4 Headlight Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9006PR	12V	51W	P22d	1	HB4	Premium +30% Box
E74-9006PRB1	12V	51W	P22d	1	HB4	Premium +30% Blister Pack

High Wattage

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12358	12V	70W	P22d	1	-	Essential Power-Rally Box
E74-12358B1	12V	70W	P22d	1	-	Essential Power-Rally Blister Pack


More Light

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9006XVB1	12V	51W	P22d	1	HB4	X-tremeVision Blister Pack
E74-9006XVSM	12V	51W	P22d	2	HB4	X-tremeVision Display Pack

Clear White Light

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9006BVUB1	12V	51W	P22d	1	HB4	BlueVision Ultra Blister Pack
E74-9006WHVS2	12V	51W	P22d	2	HB4	WhiteVision Display Pack
E74-9006CVB1	12V	51W	P22d	1	-	CrystalVision Blister Pack
E74-9006CVSM	12V	51W	P22d	2	-	CrystalVision Display Pack
E74-9006DVB1	12V	51W	P22d	1	-	DiamondVision Blister Pack
E74-9006DV52	12V	51W	P22d	2	-	DiamondVision Display Pack

HB5 Headlight Globes



PHILIPS

Standard Replacement


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-9007PRB1	12V	65/60W	PX29t	1	-	Premium +30% Blister Pack

PROLEC

Pro-Series

Philip Lighting

BA9s Bayonet Globes




PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12913	12V	2W	BA9s	10	-	Standard Box
E74-12910	12V	3W	BA9s	10	-	Standard Box
E74-13913	24V	2W	BA9s	10	-	Standard Box
E74-13910	24V	3W	BA9s	10	-	Standard Box

BA9s Bayonet Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12929	12V	4W	BA9s	10	T4W	Standard Box
E74-12929B2	12V	4W	BA9s	2	T4W	Standard Blister Pack
E74-12929BVB2	12V	4W	BA9s	2	T4W	BlueVision Blister Pack
E74-13929	24V	4W	BA9s	10	T4W	Standard Box

Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-13929ML	24V	4W	BA9s	10	T4W	MasterLife Box

BA9s Halogen Bayonet Globes



PHILIPS

Standard Replacement


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12023	12V	5W	BA9s	10	-	Standard Box
E74-12024	12V	10W	BA9s	10	-	Standard Box
E74-12025	12V	15W	BA9s	10	-	Standard Box

PROLEC

Pro-Series

Philip Lighting

BA9s Bayonet Globes




PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12822	12V	5W	BA15d	10	R5W	Standard Box
E74-13822	24V	5W	BA15d	10	R5W	Standard Box

BA9s Halogen Bayonet Globes




PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12728	12V	35/35W	BA20d	1	S2	Standard Box

BAU15s Halogen Bayonet Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12093	12V	10W	BAU15s	10	RY10W	Amber Standard Box

BA15s



PHILIPS


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-13401	24V	15W	BA15s	10	-	



Pro-Series

Philip Lighting

BA15s Bayonet Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-1156	12V	32CP	BA15s	10	-	Standard Box
E74-12445	12V	18W	BA15s	10	-	Standard Box
E74-12498	12V	21W	BA15s	10	P21W	Standard Box
E74-12498B2	12V	21W	BA15s	2	P21W	Standard Blister Pack
E74-12498TP	12V	21W	BA15s	40	P21W	Standard Trade Pack
E74-13498	24V	21W	BA15s	10	P21W	Standard Box
E74-13498TP	24V	21W	BA15s	40	P21W	Standard Trade Pack


Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-13498ML	24V	10W	BA15s	10	P21W	MasterLife Box

LED Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12898RX2	12/24V	21W	BA15s	2	P21W	Red LED Replacement Box

BAU15s Bayonet Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12496	12V	21W	BAU15s	10	PY21W	Standard Box
E74-12496B2	12V	21W	BAU15s	2	PY21W	Standard Blister Pack
E74-12496SVB2	12V	21W	BAU15s	2	PY21W	SilverVision Blister Pack

Professional Heavy Duty & LongLife EcoVision


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12496LLECO	12V	21W	BAU15s	10	PY21W	LongLife EcoVision Box
E74-13496ML	24V	21W	BAU15s	10	PY21W	MasterLife Box

LED Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12764X2	12V	21W	BAU15s	2	PY21W	Amber LED Replacement Box * Includes Load Resistors

Philip Lighting

BAY15d Bayonet Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-1157	12V	32/3CP	BAY15D	10	-	Standard Box
E74-12499	12V	21/5W	BAY15D	10	P21/5W	Standard Box
E74-12499B2	12V	21/5W	BAY15D	2	P21/5W	Standard Blister Pack
E74-12499TP	12V	21/5W	BAY15D	40	P21/5W	Standard Trade Pack
E74-13499	24V	21/5W	BAY15D	10	P21/5W	Standard Box
E74-13499TP	24V	21/5W	BAY15D	40	P21/5W	Standard Trade Pack


Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12499LLECO	12	24/5W	BAY15d	10	P21/5W	LongLife EcoVision Box

LED Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12899RX2	12/24V	21/5W	BAY15d	2	P21/5W	Red LED Replacement Box

BAZ15d Bayonet Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12594	12V	21/4W	BAZ15d	10	P21/4W	Standard Box
E74-12594B2	12V	21/4W	BAZ15d	2	P21/4W	Standard Blister Pack

BA15s



PHILIPS


Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-13401	24V	15W	BA15s	10	-	



Pro-Series

Philip Lighting


D1 Xenon HID Bulb



PHILIPS

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-85410	85V	35W	PK32d-2	1	1	DIS 4200K Standard Box
E74-85410WX	85V	35W	PK32d-2	1	1	DIS 4200K Standard Box


D2 Xenon HID Bulb



PHILIPS

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-85122	85V	35W	P32d-2	1	D2S	D2S 4200K Standard Box
E74-85122CX	85V	35W	P32d-2	1	D2S	D2S 5000K ColorMatch Box
E74-85122WX	85V	35W	P32d-2	1	-	D2S 6000K Premium Box
E74-85126	85V	35W	P32d-2	1	D2R	D2S 4200K Standard Box
E74-85126WX	85V	35W	P32d-2	1	-	D2S 6000K Premium Box

D4 Xenon HID Bulb




PHILIPS

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-42402	85V	35W	P32d-5	1	D4S	D4S 4200K Standard Box
E74-42402CX	85V	35W	P32d-5	1	D4S	D4S 4200K Standard Box
E74-42406	85V	35W	P32d-5	1	D4S	D4S 4200K Standard Box
E74-42406CX	85V	35W	P32d-5	1	D4S	D4S 4200K Standard Box

Philip Lighting

W2x4.6d Wedge Globes




PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12516	12V	1.2W	W2x4.6d	10	-	Standard Box
E74-12516B2	12V	1.2W	W2x4.6d	2	-	Blister Pack Box
E74-12505	12V	2W	W2x4.6d	10	-	Standard Box
E74-12061	12V	2.3W	W2x4.6d	10	W2.3W	Standard Box
E74-13516	24V	1.2W	W2x4.6d	10	-	Standard Box

W2.1x9.5d Wedge Globes



PHILIPS

Standard Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12960	12V	2W	W2.1x9.5d	10	-	Standard Box
E74-12256	12V	3W	W2.1x9.5d	10	W3W	Standard Box
E74-12256B2	12V	3W	W2.1x9.5d	2	W3W	Standard Blister Pack
E74-12961	12V	5W	W2.1x9.5d	10	W5W	Standard Box
E74-12961B2	12V	5W	W2.1x9.5d	2	W5W	Standard Blister Pack
E74-12961BV B2	12V	5W	W2.1x9.5d	2	W5W	BlueVision Blister Pack
E74-12396	12V	5W	W2.1x9.5d	10	WY5W	Amber Standard Box
E74-12396B2	12V	5W	W2.1x9.5d	2	WY5W	Amber Blister Pack
E74-13960	24V	2W	W2.1x9.5d	10	-	Standard Box
E74-13256	24V	3W	W2.1x9.5d	10	W3W	Standard Box
E74-13961	24V	5W	W2.1x9.5d	10	W5W	Standard Box

Professional Heavy Duty & LongLife EcoVision

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-12961LLECO	12V	5W	W2.1x9.5d	10	W5W	LongLife EcoVision Box

LED Replacement

Part No.	Voltage	Wattage	Base	Qty	ECE/ADR	Description
E74-129644000KX2	12V	1W	W2.1x9.5	2	-	4000K Premium LED Replacement Box
E74-129666000KX2	12V	1W	W2.1x9.5	2	-	6000K Premium LED Replacement Box
E74-129326700KX2	12V	1W	W2.1x9.5	2	-	6700K Premium LED Replacement Box
E74-249304000KX2	24V	1W	W2.1x9.5	2	-	4000K Premium LED Replacement Box
E74-249316000KX2	24V					6000K Premium LED Replacement Box
E74-129586000KB2	12V	1W	W2.1x9.5	2	-	6000K Standard LED Replacement Blister Pack



Pro-Series

LED Bulb

E72-0000 / LV0830

LED Bulb

- LED Reverse / Stop / Indicator Bulb
- 13 Square White LED's
- BA15S Base



E72-0001 / LV0831

LED Bulb

- LED Indicator Bulb (Amber)
- 13 Square Amber LED's
- BA15S Base



E72-0002 / LV0831

LED Bulb

- LED Indicator Bulb 24V (Amber)
- 13 Square Amber LED's
- BA15S Base



E72-0003 / LV0832

LED Bulb

- LED Stop / Tail Bulb 12V (Red)
- 13 Square Red LED's
- BA15D Base





Pro-Series

LED Bulb

E73-0000

Chrome LED Pilot Lamp

- Illuminated LED Pilot Lamp
- Chrome Housing
- 12V
- 2 Blade Terminals
- Mounting Dia: 14.2mm

Part No.	Colour
E73-0000	Amber
E73-0001	Green
E73-0002	Red
E73-0003	Blue



E73-0005

Chrome LED Pilot Lamp

- Illuminated LED Pilot Lamp
- Chrome Housing
- 24V
- 2 Blade Terminals
- Mounting Dia: 14.2mm

Part No.	Colour
E73-0005	Amber
E73-0006	Green
E73-0007	Red
E73-0008	Blue



E73-0020

Heavy Duty LED Pilot Lamp

- Illuminated LED Pilot Lamp
- 12/24V
- 2 Blade Terminals
- Mounting Dia: 16mm

Part No.	Colour
E73-0020	Amber
E73-0025	Green
E73-0027	Blue



E73-0031

Flashing LED Pilot Lamp

- Flashing LED Pilot Lamp
- 12/24V
- 2 Blade Terminals
- Mounting Dia: 16mm

Part No.	Colour
E73-0031	Green
E73-0032	Red



E73-0040

Heavy Duty LED Pilot Lamp

- Illuminated LED Pilot Lamp
- 12/24V
- 2 Blade Terminals
- Mounting Dia: 16mm

Part No.	Colour
E73-0040	Amber
E73-0041	Green
E73-0042	Red
E73-0043	Blue



E73-0044

Flashing LED Pilot Lamp

- Flashing LED Pilot Lamp
- 12/24V
- 2 Blade Terminals
- Mounting Dia: 16mm

Part No.	Colour
E73-0044	Amber
E73-0045	Green
E73-0046	Red






Pro-Series

Emergency Lighting

LV0606

Amber Strobe

- 120 Double/ 70 quad flashes per minute
- 2 Joule output
- 3 bolt mount
- Includes mounting gasket & bolts
- Current draw: 300mA @ 12V DC



* For flash tube see page 188


PRODUCT INFORMATION

LV0607 Magnetic base w/ spiral cord & cigarette plug

LV0620

Amber LED Beacon

- Simulated rotating pattern
- 120 flashes per minute
- 3 bolt mount (103mm centre to centre)
- Includes mounting gasket & bolts
- Current draw: 140mA @ 12V DC



* For metal branch guard see page 188


PRODUCT INFORMATION

LV0620M Magnetic base w/ spiral cord & cigarette plug

LV0621

Amber LED Beacon

- 20 flash patterns
- Polycarbonate lens
- 3 bolt mount (103mm centre to centre)
- Includes mounting gasket & bolts
- Current draw: 200mA @ 12V DC




PRODUCT INFORMATION

LV0621 Magnetic base w/ cigarette plug

LV0913

Amber LED Beacon

- Simulated rotating pattern
- Polycarbonate lens & ABS base
- 3 bolt mount (102mm centre to centre)
- mounting hardware not included
- Current draw: 100mA @ 12V DC
- Replaces LED beacon on LV mining bars (LV0900, LV0901)



* For LV mining bars see page 78-79

PRODUCT INFORMATION

LV0913B Amber, single bolt




Pro-Series

LED Work Lamp

LV9130

35W LED Work Light


- Die-cast aluminium housing
- Polycarbonate lens
- 60° beam pattern
- Stainless steel mounting hardware
- Built in DT connector
- Operating temperature: -50°C to +80°C
- Current draw: 2.2A @ 12V DC



LV9128

36W LED Work Light Flood Beam


- Die-cast aluminium housing
- Polycarbonate lens
- 60° beam pattern
- Stainless steel mounting hardware
- Pre-wired 400mm cable
- Operating temperature: -50°C to +80°C
- Current draw: 2.0A @ 12V DC



LV9129

36W Round LED Work Light Flood Beam

- Die-cast aluminium housing
- Polycarbonate lens
- 60° beam pattern
- Stainless steel mounting hardware
- Operating temperature: -40°C to +80°C
- Current draw: 2A @ 12V DC



PROLEC

Pro-Series

LED Work Lamp


LV0132

40W LED WORK LIGHT FLOOD BEAM

- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -40°C to +60°C
- Current draw: 3.3A @ 12V DC




PRODUCT INFORMATION
LV0132F 60° wide Flood



LV0132S

40W LED Work Light Spot Beam


- Die-cast aluminium housing
- Polycarbonate lens
- 10° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -40°C to +60°C
- Current draw: 3.3A @ 12V DC



LV0126F

40W LED Work Light Flood Beam

- Integrated weather proof push button switch, retractable handle
- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Operating temperature: -50°C to +80°C
- Current draw: 3.3A @ 12V DC






Pro-Series

LED Work Lamp

LV0123

20W LED Work Light Flood Beam


- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -40°C to +60°C
- Current draw: 1.4A @ 12V DC



PRODUCT INFORMATION

LV0123B 6W Blue 10° spot beam


LV0123S 20W 10° spot beam



LV0253

24W LED Work Light Flood Beam

- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Pre-wired 200mm cable
- Operating temperature: -30°C to +50°C
- Current draw: 1.75A @ 12V DC




LV9040

27W Heavy Duty Blue LED Light Spot Beam

- Die-cast aluminium housing
- Polycarbonate lens
- 10° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -40°C to +50°C
- Current draw: 1.27A @ 12V DC



BLUE LEDS



PROLEC

Pro-Series

LED Work Lamp

LV0254


18W LED Work Light Flood Beam

- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Pre-wired 200mm cable
- Operating temperature: -50°C to +80°C
- Current draw: 1.1A @ 12V DC



PRODUCT INFORMATION


LV0254F 60° wide Flood beam



LV0131S

27W LED Work Light Spot Beam

- Anodised polyester powder coat finish
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -40°C to +60°C
- Current draw: 2.0A @ 12V DC




LV0127

30W LED Work Light Flood Beam

- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -50°C to +80°C
- Current draw: 3.3A @ 12V DC

2 MOUNTING
OPTIONS






Pro-Series

LED Work Lamp

LV0255

50W LED Work Light Flood Beam

- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -40°C to +60°C
- Current draw: 3.8 @ 12V DC




PRODUCT INFORMATION

LV0255F Wide Flood beam

LV0148

60W LED Work Light Flood Beam


- Die-cast aluminium housing
- Polycarbonate lens
- 40° beam pattern
- Stainless steel mounting hardware
- Silicone cable w/ DT connector
- Operating temperature: -40°C to +60°C
- Current draw: 5.3A @ 12V DC



LV9134

60W Heavy Duty LED Work Light

- Die-cast aluminium housing
- Polycarbonate lens
- Stainless steel mounting hardware
- Built in DT connector
- Operating temperature: -50°C to +80°C
- Current draw: 4.2A @ 12V DC






Pro-Series

LED Work Lamp


LV9027

Heavy Duty LED Work Light Flood Beam 40 Watt

- 4 x 10 Watt Cree LED's
- Operating Voltage: 9-99V DC
- 40° Beam Pattern
- Die-Cast Aluminium Housing
- Heavy Duty Bracket with Stainless Steel Fixings
- Virtually Unbreakable Polycarbonate Lens with UV Coating
- Electronically protected against EMI/EMC interference
- Built in Deutsch DT Connector - supplied with 1M lead
- Lumens: 3,600
- Current Draw: 2.1A @ 12V
- Life Span: +50,000 Hours
- Operating Temperature: -40°C to +50°C
- IP Rating: 68
- Vibration Resistance: 8.6G
- Dimensions: 130 x 110 x 100mm
- Weight: 2.3Kg



Flood Beam




LV ZETA^{HD}
automotive™

Part No Beam Type Beam Pattern


LV9008 Flood 40°

LV9008S Spot 15°


- 4 x 10 Watt Cree LED's
- Operating Voltage: 9-36V DC
- Die-Cast Aluminium Housing
- Heavy Duty Bracket with Stainless Steel Fixings
- Virtually Unbreakable Polycarbonate Lens with UV Coating
- Electronically protected against EMI/EMC interference
- Pre-wired 250mm cable with Deutsch connector
- Lumens: 3,600
- Current Draw: 2.2A @ 12V
- Life Span: +50,000 Hours
- Operating Temperature: -40°C to +50°C
- IP Rating: 68
- Vibration Resistance: 8.6G
- Dimensions: 105 x 105 x 89mm
- Weight: 1.2Kg



Flood Beam



Spot Beam



LV ZETA^{HD}
automotive™

PROLEC

Pro-Series

HID Work Lamp

LV0121

HID Work Lamp Flood

- 9-32 Volt DC Input
- Integrated 35 Watt Ballast
- 35 Watt 6000K HID Globe
- High Impact Plastic Housing
- Tempered Glass Lens
- Stainless Steel Mounting Bracket & Hardware
- Protected against RFI/EMC interference
- Pre-wired with 300mm cable
- IP Rating: 67
- Lumens: 3200
- Dimensions: 110 x 110 x 130mm
- Operating Temperature: -40°C to +105°C
- Current Draw: 2.9 Amp @ 12V DC



LOW
VOLTAGE

3200
Lumens

LV0120

HID Work Lamp Wide Flood

- 9-32 Volt DC Input
- Integrated 55 Watt Ballast
- 55 Watt 6000K HID Globe
- Die Cast Aluminium Housing
- Powder Coat Finish
- Tempered Glass Lens
- Stainless Steel Mounting Bracket & Hardware
- Protected against RFI/EMC interference
- Pre-wired with 300mm cable
- IP Rating: 67
- Lumens: 4200
- Dimensions: 160 x 98 x 128mm
- Operating Temperature: -40°C to +105°C
- Current Draw: 4.5 Amp @ 12V DC



LOW
VOLTAGE

4200
Lumens

LV0122

HID Work Lamp Flood

- 9-32 Volt DC Input
- Integrated 55 Watt Ballast
- 55 Watt 6000K HID Globe
- High Impact Plastic Housing
- Tempered Glass Lens
- Stainless Steel Mounting Bracket & Hardware
- Protected against RFI/EMC interference
- Pre-wired with 300mm cable
- IP Rating: 67
- Lumens: 4200
- Dimensions: 145 x 145 x 185mm
- Operating Temperature: -40°C to +105°C
- Current Draw: 4.5 Amp @ 12V DC



LOW
VOLTAGE

4200
Lumens



Pro-Series

Led Truck & Trailer Lighting

E72-80BARRM

LED Lamp Assembly

- Stop / Tail & Indicator Lamp
- 108 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 278 x 100 x 28mm
- ADR Approved



E72-80BARWM

LED Lamp Assembly

- Stop / Tail, Indicator & Reverse Lamp
- 108 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 278 x 100 x 28mm
- ADR Approved



E72-200BWM

LED Lamp Assembly

- Back-Up Lamp (White)
- 25 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 200 x 50 x 28mm
- ADR Approved



E72-100BARRM

LED Lamp Assembly

- Stop / Tail & Indicator Lamp
- 147 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 350 x 120 x 31mm
- ADR Approved



E72-100BARWM

LED Lamp Assembly

- Stop / Tail, Indicator & Reverse Lamp
- 123 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 350 x 120 x 31mm
- ADR Approved



E72-125BARRM

LED Lamp Assembly

- Stop / Tail & Indicator Lamp
- 192 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 435 x 145 x 31mm
- ADR Approved





Pro-Series

Led Truck & Trailer Lighting

E72-125BARWM

LED Lamp Assembly

- Stop / Tail, Indicator & Reverse Lamp
- 153 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 435 x 145 x 31mm
- ADR Approved



E72-80BAARRM

LED Lamp Assembly

- Stop / Tail & Indicator Lamp
- 144 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 350 x 105 x 47mm
- ADR Approved



E72-80BARRWM

LED Lamp Assembly

- Stop / Tail, Indicator & Reverse Lamp
- 133 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 350 x 105 x 47mm
- ADR Approved



E72-100BAARRM

LED Lamp Assembly

- Stop / Tail & Indicator Lamp
- 196 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 430 x 125 x 50mm
- ADR Approved



E72-125BARWM

LED Lamp Assembly

- Stop / Tail, Indicator & Reverse Lamp
- 123 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 435 x 145 x 31mm
- ADR Approved



E72-100BARRWM

LED Lamp Assembly

- Stop / Tail, Indicator & Reverse Lamp
- 172 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 430 x 125 x 50mm
- ADR Approved



PROLEC

Pro-Series

Led Truck & Trailer Lighting

E72-30BLM

LED Licence Plate Light

- LED Licence Plate Lamp
- Lamps have 14cm hardwired cable
- 12V only
- Current draw @13.8V 0.02Amps
- Blister of 2
- Dimensions: 65 x 30 x 24



E72-MAXILAMP3XR

LED Maxi Lamp

- Stop / Tail, Indicator & Reverse Lamp & Reflector
- 90 LED's in the Body
- Multivolt: 12-24V
- Water Proof, Dust Proof, Shock Proof
- Dimensions: 370 x 135 x 40mm
- ADR Approved



E72-MAXILAMP5XR

LED Maxi Lamp

- Stop / Tail, Indicator & Reverse Lamp & Reflector
- 150 LED's in the Body
- Multivolt: 12-24V
- Water Proof, Dust Proof, Shock Proof
- Dimensions: 600 x 135 x 40mm
- ADR Approved



E72-235W12

LED Strip Lamp

- LED Stop / Tail Lamp (Red)
- 10 LED's in the Body
- 12V Only
- Dimensions: 237 x 24 x 18mm
- ADR Approved



E72-380W12

LED Strip Lamp

- LED Stop / Tail Lamp (Red)
- 18 LED's in the Body
- 12V Only
- Dimensions: 382 x 24 x 18mm
- ADR Approved





Pro-Series

Led Truck & Trailer Lighting

E72-135CARRM

LED Rear Assembly

- LED Stop / Tail Indicator Lamp
- Universal
- Multivolt: 12-24V
- Dimensions: 470 x 70 x 20mm
- ADR Approved



E72-135CARWML

LED Rear Assembly

- LED Stop / Tail Indicator & Reverse Lamp
- Left Hand Side
- Multivolt: 12-24V
- Dimensions: 470 x 70 x 20mm
- ADR Approved



E72-200CAW

LED Front Indicator Lamp

- LED Stop / Tail Indicator & Reverse Lamp (Amber & White)
- 29 LED's in the Body
- 12V Only
- Chrome Bracket
- Dimensions: 200 x 50 x 30mm
- ADR Approved



E72-135CARWMR

LED Rear Assembly

- LED Stop / Tail, Indicator & Reverse Lamp
- Right Hand Side
- Multivolt: 12-24V
- Dimensions: 470 x 70 x 20mm
- ADR Approved



E72-35BLM

Number Plate Lamp

- LED Number Plate Lamp
- 4 LED's in the Body
- Multivolt: 12-24V
- Black Housing
- Dimensions: 76 x 41 x 30mm
- ADR Approved



E72-35AM

LED Side Direction Indicator

- LED Side Direction Indicator (Amber)
- 4 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 58 x 35 x 21mm
- ADR Approved





Pro-Series

Led Truck & Trailer Lighting

E75-2026

LED Marker Lamps

- LED Cab Marker / Supplementary Side Direction Indicator with acrylic lens for increased chemical resistance
- Multivolt: 9-32V DC
- Wattage: 12V DC 0.4W
24V DC 0.8W
- Lead Length: 0.5mm Display Pack
2.5m Bulk Pack
- Dimensions: 60 x 38 x 32mm



E75-2053

LED Marker Lamps

- LED Cab Marker with acrylic lens for increased chemical resistance
- Multivolt: 9-32V DC
- Wattage: 12V DC 0.4W
24V DC 0.8W
- Lead Length: 0.5mm Display Pack
2.5m Bulk Pack
- Dimensions: 60 x 38 x 32mm



E72-35ARM

LED Side Marker Indicator

- LED Side Marker (Amber & Red)
- 4 LED's in the Body
- Multivolt: 12-24V
- Chrome Bracket
- Dimensions: 58 x 35 x 21mm
- ADR Approved



E72-1458ARM

LED Side Marker

- LED Side Marker (Red & Amber)
- 2 LED's in the Body
- Multivolt: 12-24V
- Waterproof
- Dimensions: 74 x 38 x 26mm
- ADR Approved



E72-38ARM

LED Marker Lamp

- LED Side Marker Reflector (Amber & Red)
- 4 LED's in the Body
- Multivolt: 12-24V
- Dimensions: 135 x 38 x 22mm
- ADR Approved





Pro-Series

Battery Master Switch

E52-0500

Battery Master Switch

- 300 Amp Rating 5Sec (75 Amp Cont)
- 2 Position
- Single Pole, Single Throw
- Handle Removable in Off Position
- Copper Terminals
- Replacement Key [E52-0550](#)



E52-0501

Battery Master Switch

- 2500 Amp Rating 5Sec (250 Amp Cont)
- 2 Position
- Single Pole, Single Throw
- Handle Removable in Off Position
- Copper Terminals
- IP Rating 67
- Replacement Key [E52-0551](#)



E52-0502

Bipolar Battery Master Switch

- 250 Amp Rating 5Sec (2 x 2500 Amp Rating Cont)
- 2 Position
- Double Pole, Single Throw
- Handle Removable in Off Position
- Copper Terminals
- IP Rating 66



E52-0503

Battery Master Switch

- 1000 Amp Rating 5Sec (250 Amp Cont)
- 2 Position
- Single Pole, Single Throw
- Fixed Handle
- Copper Terminals



E52-0507

Lockable Battery Master Switch

- 2500 Amp Rating 3 Sec, 250 Amp Continuous Rating
- 2 Position
- Single Pole, Single Throw
- Non Removable Lockable Handle
- Silver Contacts
- IP Rating 65
- No Separate Lockout Lever Required
- Lockable via Padlock
- Supplied with ON-OFF Decal
- 1 x Black, 1 x Yellow, 1 x Red
- Boot Supplied





Pro-Series

Battery Master Switch

E61-75920

Red Battery Master Switch

- Battery Master Switch 3000Amp 15 Sec On, 5 Min Off
- Single Pole Single Throw
- Composite Engineered Polymer
- Housing will not rust or corrode
- Integrated Lock out saves over separate Lock out & Bracket & is easier to install
- Tin Plated Copper Terminals (2 x 3/8"-24)



E61-75920-01

Yellow Battery Master Switch

- Battery Master Switch 3000Amp 15 Sec On, 5 Min Off
- Single Pole Single Throw
- Composite Engineered Polymer
- Housing will not rust or corrode
- Integrated Lock out saves over separate Lock out & Bracket & is easier to install
- Tin Plated Copper Terminals (2 x 3/8"-24)



E61-75907

Battery Master Switch

- 2000 Amp Rating on Large Studs 30Sec On 3Min Off
- 20 Amp Rating on Small Studs 15Sec On 5Min Off
- Double Pole Single Throw
- Plated Steel Case, Chrome Plated Die-cast Lever
- Sealed Between Shaft & Mounting Stem
- Copper Contacts
- Copper Terminals (2 x 1/2"-24 & 2 x 10-32)
- Brass Mounting Stem 3/4"-16 Thread 23/32" (18.3mm) Long
- Fits Panels up to 1/4" (6.4mm) Thick



E61-75910

Battery Master Switch

- 1000 Amp Rating on Large Studs 15Sec On 5Min Off
- 20 Amp Rating on Small Studs 15Sec On 5Min Off
- Double Pole Single Throw
- Plated Steel Case, Chrome Plated Die-cast Lever
- Sealed Between Shaft & Mounting Stem
- Silver Contacts
- Copper Terminals (2 x 3/8"-24 & 2 x 10-32)
- Brass Mounting Stem 3/4"-16 Thread 17/32" (13.5mm) Long
- Fits Panels up to 1/4" (6.4mm) Thick



E61-75910CBX

Chrome Master Switch Kit


- Battery Master Switch with Chrome Lockout
- This Kit includes:
DPST On/Off Master Switch: [E61-75910](#)
Chrome Lockout Lever: [E61-24505-01](#)



E61-75910RBX

Red Master Switch Kit

- Battery Master Switch with Red Lockout
- This Kit includes:
DPST On/Off Master Switch: [E61-75910](#)
Red Lockout Lever: [E61-24505-01R](#)



Battery Master Switch

E52-0512

Emergency Stop Switch

- Emergency Stop Switch
- Polycarbonate Body
- 1 x N/O & 1 x N/C Contacts
- Head Diameter: 40mm
- Product Code: [LV5018](#)



E52-0530

Legend Plate

- Legend Plate to Suit Emergency Stop Switch [E52-0511](#) & [E52-0512](#)
- Product Code: [LV5039](#)



Ignition Switch

E52-2501

Ignition Switch

- 3 Position, Off, Ignition, Start
- Heavy Duty Die-cast Construction
- 3 Screw Terminals
- Supplied with 2 Keys
- Key is Removable only in the Off Position
- Mounting Stem 24.5mm Dia.
- Fits Panel up to 4mm Thick
- Product Code: [LV4901](#)



E61-M-550 (M-712-02)

Marine Ignition Switch

- 4 Position, Acc, Off, Ignition / Acc, Ignition / Start
- Brass Case & Mounting Hardware with Chrome Plated Face Nut
- O-ring Seal in The Mounting Stem, Spring Actuated Shutter in The Lock Face to Protect Cylinder
- 4 Brass Screw Terminals
- Coded Lock supplied with 2 Keys
- Brass Mounting Stem 13/16"-24, 1 7/32" (31mm) Long
- Fits Panel up to 1" (25.4mm)
- Rating: 10 Amp Accessory, 5 Amp Ignition, 5 Amp Start





Pro-Series

Push Button Switch

E61-90030

Momentary Push Button Switch

- 2 Position, Off, Momentary On Dipper Switch
- Die-cast Body with Screw on Rubber Splash Proof Cover
- 2 Screw Terminals
- Silver Contacts
- Mounting: 5/8"-32 Thread, 21/32" (16.7mm) Long
- Rating: 35 Amp @ 12V DC, 20 Amp @ 24V DC



E52-4006

Momentary Push Button Switch

- 2 Position, Off, Momentary On
- Die-cast Body with Screw on Rubber Splash Proof Cover
- 2 Screw Terminals
- Mounting: Fits 15.5mm Round Hole
- Rating: 60 Amp @ 12V DC
- Replaces Delco 1996097



E61-90047

Momentary Engine Start Switch

- 2 Position, Off, Momentary On
- Die-cast Housing with Knurled Aluminium Facenut
- Impact-Resistant Molded Black Plastic Button, Repels Oil, Water & Other Liquids
- 2 Screw Terminals with Lock Washers
- Silver Contacts
- Mounting Stem 7.8"-24 Thread, keyed to prevent Switch from turning Fits Panels .04" - .10" Thick (1.0 - 2.5mm)



E61-90048

Momentary Engine Start Switch

- 2 Position, Off, Momentary On
- Die-cast Housing with Knurled Aluminium Facenut
- Impact-Resistant Molded Red Plastic Button, Repels Oil, Water & Other Liquids
- 2 Screw Terminals with Lock Washers
- Silver Contacts
- Mounting Stem 7.8"-24 Thread, keyed to prevent Switch from turning Fits Panels .04" - .10" Thick (1.0 - 2.5mm)





Pro-Series

Push Button Switch

E52-4501

Push / Pull Switch

- Universal Push / Pull Switch
- 2 Position, Off, On
- 2 Screw Terminals
- Long Shank
- Mounting: Fits 8mm Round Hole
- Amperage Rating 16 Amp @ 12V DC



E52-4505

Universal Push / Pull Switch

- 2 Position, Off, On
- 2 Screw Terminals
- Mounting: 1 1/4" Long (32mm) 3/8" Dia
- Amperage Rating 20 Amp @ 12V DC



E52-4507

Push / Pull Switch

- Universal Push / Pull Switch with Chrome Plated Metal Knob
- 2 Position, Off, On
- Die-cast Body
- 2 Screw Terminals
- Mounting Stem: 5/8" Long, 15/32" Dia
- Amperage Rating 75 Amp @ 12V DC





Pro-Series

Rocker Switch

E61-58328-58

**24V Off / On
Rocker Switch**

- 2 Position, Off, On
- Single Pole Single Throw
- Dependent Pilot On with Load
- Silver Contacts
- 3 Blade Terminals
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm Thick • Rating: 12 Amp @ 24V DC



E61-58328-62

**Amber Illuminated
Rocker Switch**

- 2 Position, Off, On
- Single Pole Single Throw
- Dependent Pilot On with Load
- Silver Contacts
- 3 Blade Terminals
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm Thick • Rating: 12 Amp @ 24V DC



E61-58328-13

**Amber Illuminated
Rocker Switch**

- 2 Position, Off, On
- Single Pole Single Throw
- Dependent Pilot On with Load
- Silver Contacts
- 3 Blade Terminals
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm Thick
- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC



* Use pilot reducer E61-58328-24BR for 24V Applications

E61-58328-55

**Blue Illuminated
Rocker Switch**

- 2 Position, Off, On
- Single Pole Single Throw
- Dependent Pilot On with Load
- Silver Contacts
- 3 Blade Terminals
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm Thick
- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC



Rocker Switch

E61-58328-100

Illuminated Rocker Switch

- 2 Position, Off, On
- Single Pole Single Throw
- Dependent Pilot On with Load
- Silver Contacts
- 3 Blade Terminals
- 4 Coloured Lens Supplied
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm

Thick

- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC



Colour
Amber
Green
Red
Clear

E61-58328-101-BP

Illuminated Rocker Switch

- 2 Position, Off, On
- Single Pole Single Throw
- Independent Pilot with Switch or Load
- Silver Contacts
- 4 Blade Terminals
- 4 Coloured Lens Supplied
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm

Thick

- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC



Colour
Amber
Green
Red
Clear

E52-5007

Amber Rocker Switch

- 2 Position, Off, On
- Single Pole Single Throw
- 3 Blade Terminals
- Mounting: Fits 12.5mm Round Hole • Rating: 16 Amp @ 12V DC

Part No.	Colour
E52-5007	Amber
E52-5008	Blue
E52-5009	Green
E52-5010	Red



E61-58328-104-BP

Illuminated Rocker Switch

- 2 Position, Off, On
- Single Pole Single Throw
- Dependent Pilot + Independent Pilot, Switched or Load
- Silver Contacts
- 4 Blade Terminals
- 4 Coloured Lens Supplied
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm Thick
- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC



Colour
Amber
Green
Red
Clear





Pro-Series

Rocker Switch

E61-58027-04

Heavy Duty Rocker Switch

- 3 position, Mom On, Off, Mom On
- Single Pole Double Throw
- Silver Contacts
- 3 Blade Terminals
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 1.52 to 6.35mm Thick
- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC



E61-58027-07

Heavy Duty Rocker Switch

- 3 Position, On, Off, On
- Double Pole Double Throw
- Silver Contacts
- 6 Blade Terminals
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 2.4 to 4.7mm Thick
- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC



E61-58007-07

Headlight Rocker Switch

- Universal Headlight Rocker Switch
- 3 Position, On, On, Off
- White Actuator with Black Bezel
- Imprinted Hi, Lo, Off
- 4 Blade Terminals
- Snap in to fit Panels 1 to 2.5mm



E61-56006-08

Headlight Rocker Switch

- Universal Headlight Rocker Switch
- 3 Position, Low, Off, High
- White Actuator with Black Bezel
- Imprinted "Lights, Park" with SAE Headlight Symbol
- 6 Screw Terminals
- Snap in to fit Panels 1 to 2.5mm



E61-58027-11

Heavy Duty Rocker Switch

- 3 position, Mom On, Off, Mom On
- Double Pole Double Throw
- Silver Contacts
- 6 Blade Terminals
- Mounting: Fits 21.1 x 36.8mm Hole
Fits Panels 1.52 to 6.35mm Thick
- Rating: 25 Amp @ 12V DC
12 Amp @ 24V DC





Pro-Series

Rotary Switch

E61-72079-01

Rotary Headlamp Switch

- Universal Rotary Headlight Switch
- 4 Position, Off, Hazard, Hazard & Headlights, Hazard, Headlights & Worklamps
- Black Knob Imprinted with SAE Headlamp Symbol
- 5 Screw Terminals
- O-ring Seal in Mounting Stem
- Plated Steel Case
- Mounting Stem 5/8"-32 Thread
- Amperage Rating 20 Amp per circuit @ 12V DC



E61-75600-02

Wiper Switch with Dynamic Park

- 4 Position, Off (Park), On (Int 15Sec), On (Int 2Sec), Low, High
- Controls One Motor, Microprocessor Design
- Die-cast Case, Black Plastic Knob with SAE Wiper-Washer Symbol
- Packard connector with 6 Blade Terminals, Lead 5.625" (142.9mm) Long
- Mounting Stem 7/16"-28 Thread, .45" (11.3mm) Long
- Switches conform to SAE J1455, SAE J112A, SAE J234
- Rating: 12V DC



E61-75228-03

Wiper Switch with Dynamic Park

- 3 Position, Off (Park), Low, High with "Push-to-Wash"
- Die-cast Sealed Construction with O-ring in Shaft, Black Plastic Knob with Washer Imprint
- 6 Blade Terminals
- Suitable for Dynamic Parking Wiper Motors
- Mounting Stem 7/16"-28 Thread, .45" (11.4mm) Long
- Rating: 12/24V DC





Pro-Series

Stop Light Switch

E75-4560

Stop Light Switch

- Stop Lamp Switch
- 2 Position Off / Mom On
- 2 Screw Terminals
- Brake Linkage Clamp (6mm Dia)
- Includes Rubber Boot



E52-6001 / LV4915

Stop Light Switch N/C

- 2 Position, On, Mom Off
- Single Pole Single Throw
- 2 Blade Terminals
- Mounting Stem 1/2" Dia, 1 5/32" Long
- Suits: Chrysler, Ford, Holden & Isuzu Applications



E61-8715

Stop Light Switch N/O

- 2 Position, On, Mom Off
- Single Pole Single Throw
- 2 Blade Terminals
- Mounting Stem 1/2" Dia, 1 5/32" Long
- Suits: Chrysler, Ford, Holden & Isuzu Applications





Pro-Series

Toogle Switch

E52-6500 / LV5630

Metal Toogle Switch

- 2 Position, Off, On
- Single Pole Single Throw
- Chrome Plated Toggle
- Silver Contacts
- 2 Blade Terminals
- Mounting: Fit 12.5mm Dia Hole
- Rating: 20 Amp @ 12V DC



E52-6501 / LV5631

Metal Toogle Switch

- 3 Position, On, Off, On
- Single Pole Double Throw
- Chrome Plated Toggle
- Silver Contacts
- 3 Blade Terminals
- Mounting: Fit 12.5mm Dia Hole
- Rating: 20 Amp @ 12V DC



E52-6520

Toogle Switch

- 2 Position, Off, On
- Single Pole Single Throw
- Black Plastic Toggle
- 2 Blade Terminals
- Mounting: Fit 12.5mm Dia Hole
- Rating: 20 Amp @ 12V DC



E52-6540

Toogle Switch

- 2 Position, Off, On
- Single Pole Single Throw
- Metal Toggle & Mounting nStem, Phenolic Housing
- 2 Srew Terminals
- Mounting Stem 15/32*(11.9mm) Dia. 15/32* Long
- Rating: 20 Amp @ 12V DC



E52-6541

Toogle Switch

- 2 Position, Off, On
- Single Pole Single Throw
- 2 Srew Terminals
- Mounting: 15/35" Thread, 15/32" (11.9mm) Long
- Rating: 50 Amp @ 12V DC



E61-5582-10

Heavy Duty Toogle Switch

- 2 Position, Off, On
- Single Pole Single Throw
- Nickle Plated Brass Toggle & Mounting Stem, Plastic Coated Housing
- 3/8" (203.2mm) Leads
- Silver Contacts
- O-ring Seal in Mounting Stem
- Mounting Stem 15/32*-32 Thread, 15/32*(11.9mm) Long
- Fits Panel up to 9/32*(7.1mm)
- Rating: 25 Amp @ 12V DC, 15 Amp @ 24V DC





Pro-Series

Toogle Switch

E61-55065-03

Mom On / Off / Mom On Heavy Duty Toggle Switch

- 3 Position, Mom On, Off, Mom On
- Double Pole Double Throw
- 6 Blade Terminals
- Silver contacts
- Mounting: 15/35" Thread, 15/32" (11.9mm) Long
- Fits Panels up to 7.1mm thick
- Rating: 25 Amp @ 12V DC
- 15 Amp @ 24V DC



E61-55054

Mom On / Off / Mom On Heavy Duty Toggle Switch

- 3 Position, Mom On, Off, Mom On
- Double Pole Double Throw
- 6 Screw Terminals
- Silver contacts
- Mounting: 15/35" Thread, 15/32" (11.9mm) Long
- Fits Panels up to 7.1mm thick
- Rating: 25 Amp @ 12V DC
- 15 Amp @ 24V DC



E61-55065-02

Mom On / Off / Mom On Heavy Duty Toggle Switch

- 3 Position, Mom On, Off, Mom On
- Double Pole Double Throw
- 6 Blade Terminals
- Silver contacts
- Mounting: 15/35" Thread, 15/32" (11.9mm) Long
- Fits Panels up to 7.1mm thick
- Rating: 25 Amp @ 12V DC
- 15 Amp @ 24V DC



E52-6540

Headlight Toggle Switch

- 3 Position, On, Off, On
- 6 Blade Terminals
- Silver contacts
- Mounting: 15/35" Thread, 15/32" (11.9mm) Long
- Fits Panels up to 7.1mm thick
- Rating: 25 Amp @ 12V DC



E61-5558

Off / Mom On Heavy Duty Toggle Switch

- 2 Position, Off, Mom On
- Single Pole Double Throw
- 2 Screw Terminals
- Silver Contacts
- Mounting: 15/35" Thread, 15/32" (11.9mm) Long
- Fits Panels up to 7.1mm thick
- Rating: 25Amp @ 12V DC
- 15 Amp @ 24V DC





Pro-Series

Toogle Switch

E52-6542

Toggle Switch

- 3 Position, On, Off, On
- Single Pole Double Throw
- 3 Screw Terminals
- Mounting: 15/32" Thread, 15/32" (11.9mm) Long
- Rating: 50 Amp @ 12V DC



E52-6545

Toggle Switch

- 2 Position, Off, On
- Single Pole Single Throw
- 2 Blade Terminals
- Mounting: 15/32" 12mm Dia Stem
- Rating: 20 Amp @ 12V DC



E61-55014

Heavy Duty Toggle Switch

- 2 Position Off, On
- Single Pole Double Throw
- Nickle Plated Brass Toggle & Mounting Stem, Phenolic Housing
- 2 Blade Terminals
- Silver contacts
- Mounting Stem 15/32"-32 Thread, 15/32" (11.9mm) Long
- Fits Panels up to 9/32" (7.1mm)
- Rating: 25 Amp @ 12V DC, 15 Amp @ 24V DC



E61-55016

Heavy Duty Toggle Switch

- 3 Position, On, Off, On
- Single Pole Double Throw
- 3 Blade Terminals
- Silver Contacts
- Mounting: 15/32" Thread, 15/32" (11.9mm) Long
- Fits Panels up to 7.1mm thick
- Rating: 25 Amp @ 12V DC, 12 Amp @ 24V DC



E61-55018

Heavy Duty Toggle Switch

- 2 Position, On, On
- Double Pole Single Throw
- 6 Blade Terminals
- Silver contacts
- Mounting: 15/32" Thread, 15/32" (11.9mm) Long
- Fits Panels up to 7.1mm thick
- Rating: 25Amp @ 12V DC 15 Amp @ 24V DC





Pro-Series

Switch Accessories

E61-81264

Water Proof Rubber Boot

- Durable Silicone Rubber Bonded to a 15/32"-32 Thread Nickle Plated Brass Hex Nut
- Full boots completely cover a Standard 11/16" (17.5mm)
- Handle to Protect Switch from Moisture & Dirt



Solenoid

E52-0001

Continuous Duty Solenoid

- Continuous Duty Solenoid 12V 90 Amp
- Single Pole Single Throw
- Normally Off
- Silver Contacts & Copper Terminals



E52-0002

Continuous Duty Solenoid

- Continuous Duty Solenoid 24V 80 Amp
- Single Pole Single Throw
- Normally Off
- Copper Contacts & Terminals



Solenoid

E52-150412 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 12V
- 2 Bolt Mounting
- Rated Stroke 25.4mm (1")
- Pull Current 41 Amp
- Hold Current 0.76 Amp
- Pull Rating 12 Lbs
- Hold Rating 19 Lbs



50.8mm



E52-150424 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 24V
- 2 Bolt Mounting
- Rated Stroke 25.4mm (1")
- Pull Current 22 Amp
- Hold Current 0.37 Amp
- Pull Rating 12 Lbs
- Hold Rating 19 Lbs



50.8mm



E52-175112 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 12V
- 2 Bolt Mounting
- Rated Stroke 25.4mm (1")
- Pull Current 46 Amp
- Hold Current 1.1 Amp
- Pull Rating 24 Lbs
- Hold Rating 38 Lbs



50.8mm



E52-175113 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 12V
- 2 Bolt Flange Mount
- Rated Stroke 25.4mm (1")
- Pull Current 46 Amp
- Hold Current 1.1 Amp
- Pull Rating 24 Lbs
- Hold Rating 38 Lbs
- Suits: Kubota 70 & 82 mm Series Engines



63.5mm



E52-175114 Kubota Shut Down Kit

- Kubota Engine Shut Down Solenoid Kit 12V



63.5mm



E52-175115 RSV Shutdown Solenoid Kit

- RSV Shut Down Solenoid Kit 12V
- Left Hand Mounting
- Rated Stroke 25.4mm (1")
- Pull Current 46 Amp
- Hold Current 1.1 Amp
- Pull Rating 24 Lbs
- Hold Rating 38 Lbs



Solenoid

E52-175124 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 24V
- 2 Bolt Mounting
- Rated Stroke 25.4mm (1")
- Pull Current 25 Amp
- Hold Current 0.5 Amp
- Pull Rating 24 Lbs
- Hold Rating 38 Lbs



WOODWARD

E52-200312 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 12V
- 4 Bolt Mounting
- Rated Stroke 25.4mm (1")
- Pull Current 60 Amp
- Hold Current 0.8 Amp
- Pull Rating 26 Lbs
- Hold Rating 51 Lbs



WOODWARD

E52-200324 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 24V
- 4 Bolt Mounting
- Rated Stroke 25.4mm (1")
- Pull Current 37 Amp
- Hold Current 0.4 Amp
- Pull Rating 26 Lbs
- Hold Rating 51 Lbs



WOODWARD

E52-237012 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 12V
- 4 Bolt Mounting
- Rated Stroke 38.1mm (1.5")
- Pull Current 58 Amp
- Hold Current 1.7 Amp
- Pull Rating 37 Lbs
- Hold Rating 88 Lbs



WOODWARD

E52-237024 Engine Shut Down Solenoid

- Engine Shut Down Solenoid 24V
- 4 Bolt Mounting
- Rated Stroke 38.1mm (1.5")
- Pull Current 31Amp
- Hold Current 0.6 Amp
- Pull Rating 37 Lbs
- Hold Rating 88 Lbs



WOODWARD



Pro-Series

Solenoid

E52-0100

Rubber Boot

- Rubber Boot to suit 1504 Series Solenoids
- Suits: E52-150412
E52-150424



E52-0101

Rubber Boot

- Rubber Boot to suit 2003 Solenoids
- Suits: E52-200312
E52-200324



E52-0102

Clevis Yoke

- Clevis Yoke for Shut Down Solenoids
- 1/4"-28 Mounting Thread



E52-0104

Clevis Yoke Bead Chain

- Clevis Yoke Bead Chain for Shut Down Solenoids
- Used whenever a flexible connection is required, such as pulling a Throttle Lever on a Gasoline Engine
- 1/4"-28 Mounting Thread



E52-0103

In-Line Swivel

- In-Line Swivel to suit Shut Down Solenoids
- 1/4"-28 Male & Female Mounting Thread
- Compensates for possible misalignment between Rigid Linkage & Solenoid Plunger



PROLEC

Pro-Series

Fuel Pump

E62-0000

Solid State Fuel Pump

- Solid State Fuel Pump 12V
- 1/8"-27NPTF Female Fittings
- Suitable for use with Leaded / Unleaded , Diesel Fuel, Blended Fuels, Pure Alcohol & Fuel Additives
- 129 LPH
- 3 - 4 - 5 PSI



E62-0002

Solid State Fuel Pump

- Solid State Fuel Pump 12V
- 1/8"-27NPTF Female Fittings
- Suitable for use with Leaded / Unleaded , Diesel Fuel, Blended Fuels, Pure Alcohol & Fuel Additives
- 189 LPH • 7 - 10 PSI



E62-0004

Solid State Fuel Pump

- Solid State Fuel Pump 24V
- 3/8"-18NPTF Female Fittings
- Suitable for use with Leaded / Unleaded , Diesel Fuel, Blended Fuels, Pure Alcohol & Fuel Additives
- 121 LPH
- 4.5 - 9 PSI



E62-0006

Cylindrical Fuel Pump

- Cylindrical Fuel Pump 24V
- One wire design with case as negative ground
- 1/8"-27NPTF Female Fittings
- Suitable for use with Diesel Fuel & Pure Alcohol
- 121 LPH
- 4 - 5 PSI





Pro-Series

Washer Bottle Kit

E62-0020

In-Line Fuel Filter

- In-Line Fuel Filter
- 1/8"-27NPTF Male Thread



E62-0025

Solid State Fuel Pump

- Brass Hose Fitting
- Thread: 1/8" - 27NPTF
- Suits: 8mm I.D Hose



E62-0026

Cylindrical Fuel Pump

- Brass Hose Fitting 90° Elbow
- Thread: 1/8" - 27NPTF
- Suits: 8mm I.D Hose





Pro-Series

Washer Bottle Kit

E62-0100

Washer Bottle Kit

- Universal Horizontal Washer Bottle Kit
- Kit includes:

- 1 x Bottle with 12V motor
- 1 x 1M Nylon Line
- 2 x Brackets
- 2 x Washer Jets
- 1 x Push Button Switch
- 1 x Harness

- Suits: Early GMH Applications



E62-0101

Washer Bottle Kit

- Universal Vertical Washer Bottle Kit
- Kit includes:

- 1 x Bottle with 12V motor
- 1 x 1M Nylon Line
- 2 x Brackets
- 2 x Washer Jets
- 1 x Push Button Switch
- 1 x Harness

- Suits: Early Ford Applications



E62-0102

Washer Bottle Kit

- Universal Vertical Washer Bottle Kit
- Kit includes:


- 1 x Bottle with 12V motor
- 1 x 1M Nylon Line
- 1 x Bracket
- 2 x Washer Jets
- 1 x Push Button Switch
- 1 x Harness

- Suits: Universal Applications



E62-0110

Washer Bottle Kit



* This Motor uses The Existing Seal on The Washer Bottle



Pro-Series

Murphy Instrument

E65-85093

Washer Bottle Kit

- Hobbs Analogue Hourmeter
- 10,000 Hour Display
- Quartz accuracy: +200ppm, +0.002%
- Flush panel mount with retainer
- Non illuminated



Hours	Voltage
0 - 10,000	10 - 80V

Product Code : E65-331032001

Hobbs

E65-85094

Washer Bottle Kit

- Hobbs Analogue Hourmeter
- 10,000 Hour Display
- Quartz accuracy: +200ppm, +0.002%
- Flush mount with 2 screw holes
- Non illuminated



Hours	Voltage
0 - 10,000	10 - 80V

Product Code : E65-331032001

Hobbs

Murphy Mechanical Pressure Switch Gauges

- Murphy Mechanical Pressure Switch Gauges
- Suitable for use with Air, Oil & Water
- Adjustable Contact Switch
- N/O contacts. N/C when switch point is met
- Dual scale PSI & Kpa
- Non illuminated
- 52mm Diameter
- Contact switch adjustable via 1/16" Allen key



- * Use E65-230.025 Nut & Cone Adaptor
- * Use E65-230.013 5m Nylon Line Kit

Part No.	Range (PSI)	Range (Kpa)
E65-20P75	0 - 75	0 - 500
E65-20P100	0 - 100	0 - 600
E65-20P150	0 - 150	0 - 1000
E65-20P200	0 - 200	0 - 1350

MURPHY

Murphy Mechanical Temperature Switch Gauge

- Murphy Mechanical Temperature Switch Gauges
- Suitable for use with Oil & Water
- Adjustable Contact Switch
- N/O contacts. N/C when switch point is met
- Dual scale °F & °C
- Non illuminated
- 52mm Diameter
- Contact switch adjustable via 1/16" Allen key



Part No.	Range(°F)	Range(°C)	Cap Length
E65-20T1206			6ft / 1.82m
E65-20T1210	130 - 250	0 - 120	10ft / 3.05m
E65-20T1216			16ft / 4.88m

MURPHY

Murphy Instrument

E65-VM12

Murphy Voltmeters

- Murphy Voltmeter
- LED illumination
- 52mm Diameter



Part No.	Voltage
E65-VM12	8 - 15V
E65-VM24	16 - 24V

MURPHY

E65-SV123

Washer Bottle Kit

- Diesel Fuel Shut Off Valve
- Normally closed contacts which open when current is supplied from the battery through a shutdown relay
- Temperature, level or pressure switch gauges installed trip the magnetic switch breaking the circuit from the battery closes the valve & stops the engine
- Fittings: 1/4" NPT Inlet & Outlet with 3/16" orifice
- Can be used in applications up to 30 PSI



Part No.	Voltage
E65-SV123	12V
E65-SV243	24V

MURPHY

E65-L150

Murphy Liquid Level Gauges

- Murphy Liquid Level Switch Gauge
- The float operates the pointer which in turn, both indicates level during normal operation & closes a switching circuit if the level falls to the low limit set point



MURPHY

E65-EL150K1

Murphy Liquid Level Gauges

- Murphy Liquid Level Switch Gauge with SPDT switch
- The float operates the pointer which in turn, both indicates level during normal operation & closes a switching circuit if the level falls to the low limit set point



MURPHY




Pro-Series

Murphy Instrument

E65-117PH

Murphy Shutdown Relay 12/24V

- Murphy Shutdown Relay
- Normally Closed Contacts




MURPHY

E65-518APH12

Murphy Shutdown Relay

- Murphy Shutdown Relay
- Normally Open & Normally Closed Contacts



MURPHY

Part No.	Voltage
E65-518APH12	12V
E65-518APH24	24V

E65-ESP100

Murphy Pressure Sender

- Murphy Pressure Sender 100 PSI 1/8" NPT
- Suits [E65-EGS21P100](#)



MURPHY

E65-EST25002

Murphy Temperature Sender

- Murphy Temperature Sender 0-250°F 1/8" NPT
- Suits [E65-EGS21T250](#)



MURPHY



Pro-Series

VDO instrument

E65-437015025

VDO Speedometer

Illumination through dial and pointer. 12V globe included.
Field adjustable to suit 500 to 400,000 imp/km by pulse setting,
or auto-calibration function through LCD readout via reset button.
Total distance 999,999.9 not resettable. Speed display analogue;
Odometer and trip distance LC-display trip distance 99,999.9 resettable.
Signal source Hall-effect, inductive or blocking oscillator sender units.
For 24V application use globe #240.053 (2 required)

Part No.	Range	Size	Voltage
437015028	0 - 200km/h	80mm	12/24V
437015021	0 - 300km/h	80mm	12/24V
437015025	0 - 200km/h	85mm	12/24V
437015022	0 - 300km/h	100mm	12/24V
437015029	0 - 200km/h	100mm	12/24V



Note: 8 pin plug kit part no. 340.824 recommended. Not included in kit



E65-333015032

VDO Tachometer

- Suitable for most Petrol & Diesel engines
- Field programmable to suit 4, 6 0 or 8 cylinder 4 stroke ignition & alternator pick up
- Through dial illumination

Part No.	Range	Size	Voltage
E65-333015037	0 - 4000rpm	52mm	12V
E65-333015031	0 - 8000rpm	52mm	12V
E65-333015038	0 - 4000rpm	80mm	12V
E65-333015032	0 - 7000rpm	80mm	12V
E65-333015046	0 - 10000rpm	80mm	12V
E65-333015033	0 - 7000rpm	85mm	12V
E65-333015034	0 - 8000rpm	100mm	12V



E65-301010011

VDO Fuel Gauge

- VDO Electric Fuel Gauge
- Suitable for most Petrol, Diesel & LPG systems
- 52mm Diameter
- Through dial illumination



Part No.	Description	Specifications	Voltage
E65-301010011	Fuel Gauge	10 - 180ohms	12V
E65-301010010	LPG Gauge	5 - 90ohms	12V



E65-301040001

VDO Fuel Gauge

- Suitable for use with most petrol, diesel fuel, and LPG systems.
- Illumination 12V and 24V included.



Part No.	Range	Size	Voltage
301 030 001	0-1/1	52mm	12V
301 040 001	0-1/1	52mm	24V

Note: 3 pin plug kit part no. 240.030 recommended. Not included in kit. Without ISO symbol.



E65-350010016

VDO Oil Pressure Gauge

- VDO Electric Pressure Gauge
- Suitable for most vehicles
- 52mm Diameter
- Through dial illumination



Part No.	Range	Specifications	Voltage
E65-350010016	0 - 500Kpa	10 - 184ohms	12V
E65-350010017	0 - 1000Kpa	10 - 199ohms	12V



E65-350010021

VDO Oil Pressure Gauge

- Suitable for most vehicles.
- Supplied with nut and cone to suit 3/16" PVC tubing.
- Illumination 12V included.



Part No.	Description	Specifications	Voltage
350010021	Oil on dial 10-184 ohms	100psi	12V
350010001	Trans on dial 10-184 ohms	400psi	12V

Note: 3 pin plug kit part no. 240.030 recommended. Not included in kit.



VDO instrument

E65-150077011

VDO Mechanical Pressure Gauge

- VDO Mechanical Boost Gauge
- Suitable for Diesel engines
- Supplied with nut & cone to suit 3/16" PVC tubing
- 52mm Diameter
- Through dial illumination



Range	Voltage
0 - 30psi	12V

E65-150077027

VDO Mechanical Pressure Gauge

- VDO Mechanical Pressure Gauges
- Suitable for Air, Oil & Water
- Supplied with nut & cone to suit 3/16" PVC tubing
- 52mm Diameter
- Through dial illumination



Part No.	Range	Voltage
E65-150077011	0 - 30psi	12V
E65-150077027	0 - 100psi	12V
E65-150077026	0 - 150psi	12V

E65-150077004

VDO Mechanical Boost Gauge

- VDO Mechanical Turbo Charger Gauge
- Suitable for Petrol vehicles
- Supplied with nut & cone to suit 3/16" PVC tubing
- 52mm Diameter
- Through dial illumination



Range	Voltage
-30"Hg to +25psi	12V

E65-310010014

VDO Water Temperature Gauge

- VDO Water Electric Temperature Gauges
- Suitable for most vehicles
- 52mm Diameter
- Through dial illumination



Range	Specifications	Voltage
-30"Hg to +25psi	287-23ohms	12V

E65-310040002

VDO Electric Water Temperature Gauge

- VDO Water Electric Temperature Gauges
- Suitable for most vehicles
- 52mm Diameter
- Through dial illumination




Part No.	Range	Specifications	Voltage
E65-310030002	40 - 120°C	287-23ohms	12V
E65-310040002	40 - 120°C	287-23ohms	24V

E65-180077022

VDO Mechanical Temperature Gauge

- VDO Mechanical Temperature Gauge
- Suitable for most vehicles
- Process connection is 1/8"-27NPTF threaded removable thermowell
- Temperature transmitted via capillary tube
- 52mm Diameter
- Through dial illumination * Coil up excess capillary tubing - DO NOT CUT



Part No.	Range	Cap. Length	Voltage
E65-180077022	40 - 120°C	1600mm	12V
E65-180077023	40 - 120°C	2600mm	12V



Pro-Series

VDO instrument

E65-331032001

VDO Hourmeter

- VDO Hourmeter
- Suitable for all vehicles & machines
- 52mm Diameter
- Floodlit illumination



Hours	Voltage
0 - 9999.9	12V



E65-332010004

VDO Volt Meter

- VDO Voltmeter
- Suitable for most vehicles / engines
- 52mm Diameter
- Through dial illumination



Voltage
8 - 16V



E65-332040001

VDO Volt Meter

- Suitable for all engines and machines.
- Monitors charge and battery condition.
- Dial colour coded. Illumination 12V or 24V included



Part No.	Range	Voltage
332030001	8 - 16V	12V
332040001	18 - 32V	24V



E65-350010017

VDO Oil Pressure Gauge

- VDO Electric Pressure Gauge
- Suitable for most vehicles
- 52mm Diameter
- Through dial illumination



Part No.	Range	Specifications	Voltage
E65-350010016	0 - 500Kpa	10 - 184ohms	12V
E65-350010017	0 - 1000Kpa	10 - 199ohms	12V



E65-190077006

VDO Ammeter

- VDO Ammeter 12/24V
- Internal Shunt
- Suitable for most engines requiring charging monitoring
- 12V Through dial illumination
- 52mm Diameter



Part No.	AMP	Notes
E65-190077006	30-0-30 Amp	Use 6mm wire
E65-190077007	60-0-60 Amp	





Pro-Series

VDO instrument

E65-360.001

Pressure Sender

- VDO Pressure Sender
- Suitable for Oil or Air



Part No.	Range	Thread Sz	Ohms
E65-360.001	0 - 5 Bar	1/8"-27NPTF	10-180
E65-360.004	(75psi)	1/4"-18NPTF	10-180



E65-360.002

Pressure Sender

- VDO Voltmeter
- Suitable for most vehicles / engines
- 52mm Diameter
- Through dial illumination



Part No.	Range	Thread Sz	Ohms
E65-360.002	0 - 10 Bar (145psi)	1/8"-27NPTF	10 - 184
E65-360.019	0 - 10 Bar (145psi)	1/8"-27NPTF	10 - 184



E65-360.018

Pressure Sender

- VDO Pressure Sender
- Suitable for Oil or Air



Range	Thread Sz	Ohms
0 - 5 Bar (75psi)	1/8"-27NPTF	N/A



E65-360.086

Oil Pressure Sender

- VDO Voltmeter
- Suitable for most vehicles / engines
- 52mm Diameter
- Through dial illumination



Range	Thread Sz	Ohms
0 - 7 Bar (100psi)	1/8"-27NPTF	10 - 184



E65-360.009

Oil Pressure Sender

- Oil Pressure Sender (ECU Control)
- Suits: Holden Commodore GEN III 5.7L



E65-360.015

Oil Pressure Sender

- Oil Pressure Sender
- Suits: Holden commodore VZ V6 Alloytec 3.6L LY7
Holden Rodeo HFV6 RA 3.6L
Holden Colorado HFV6 RC 3.6L
Holden Captiva 2007 3.2L





Pro-Series

VDO instrument

VDO Temperature Senders

- VDO Temperature Sender
- Suitable for Oil & Water



Part No.	Range(°C)	Ohms	Ohms @ 100°C	Thread	Body Length	Insulator	Terminal
E65-320.002	40 - 120°C	287-23	38.6	1/8"-27NPTF	29mm	White	Button
E65-320.003	40 - 120°C	73-10	17.5	1/8"-27NPTF	29mm	Blue	Button
E65-320.006	60 - 200°C	550-14	148.8	1/8"-27NPTF	29mm	Red	Button
E65-320.021	50 - 150°C	323-18	62.2	1/8"-27NPTF	29mm	Yellow	Button
E65-320.022	40 - 120°C	287-23	38.6	1/2"-14NPTF	29mm	White	Spade
E65-320.093	40 - 120°C	287-23	38.6	1/8"-27NPTF	29mm	Black	Thread

VDO

VDO T-Piece Adaptor

- Suits oil line kits & oil pressure sender units with 1/8"-27NPT Female thread, while at the same time retaining the existing oil warning light switch.

Part No.	Thread "A"	Thread "B"	Thread "C"	Length
E65-230.031	1/8"-27NPTF	1/8"-27NPTF	1/8"-27NPTF	66mm
E65-230.032	1/4"-18NPTF	1/4"-18NPTF	1/8"-27NPTF	66mm
E65-230.035	M14x1.5	M14x1.5	1/8"-27NPTF	66mm
E65-230.036	1/8"-28BSPT	1/8"-28BSPT	1/8"-27NPTF	66mm



VDO

VDO Adaptor Brass

Part No.	Internal Thread	External Thread	Overall Length
E65-320.050	1/8"-27NPTF	1/4"-18NPTF	20mm
E65-320.051	1/8"-27NPTF	3/8"-18NPTF	20mm
E65-320.052	1/8"-27NPTF	5/8"-18UNF	20mm
E65-320.053	1/8"-27NPTF	1/2"-14NPTF	20mm
E65-320.054	1/8"-27NPTF	M14x1.5	20mm
E65-320.055	1/8"-27NPTF	M16x1.5	20mm
E65-320.056	1/8"-27NPTF	M18x1.5	20mm



VDO



Pro-Series

VDO instrument

E65-310.159

Vision Pyrometer Kit

- VDO Electric Pyrometer Kit
- Thermocouple connection is by 1-4"-18NPTF compression fitting
- Temperature is transmitted via K-type compensating cable
- 52mm Diameter
- Through dial illumination
- Kit includes: Pyrometer Gauge - E65-310015009
Thermocouple Kit - E65-320.714
Weld boss - E65-320.059
5m loom - E65-240.035



Range(°C)	Voltage
0 - 900°C	12V

* Cutting or lengthening loom will not affect calibration



E65-230.001

Metal Bracket

- Black Metal Bracket
- Suitable For All 52mm Instruments



FAN

A11-1176

12V Dash Mounted Fan

- Dash Mounted Fan
- Features on / Off Switch
- Dia. 190mm



A11-1177

24V Dash Mounted Fan

- Dash Mounted Fan
- Features on / Off Switch
- Dia. 190mm



FAN

A11-1006 12V High Performance Fan

Maradyne High Performance 14" Fan

- Reversible Skew Blade (Pusher / Puller)
- 160 Watt Heavy Duty Sealed Motor (IP68)
- Airflow at 0" Static: 1555 CFM
- Current Draw: 10.1 Amp
- Mounting Kit included
- Dimensions:
Dia: 376mm
Depth: 75.9mm



A11-1007 24V High Performance Fan

Maradyne High Performance 14" Fan

- Reversible Skew Blade (Pusher / Puller)
- 160 Watt Heavy Duty Sealed Motor (IP68)
- Airflow at 0" Static: 1555 CFM
- Current Draw: 5.05 Amp
- Mounting Kit included
- Dimensions:
Dia: 376mm
Depth: 75.9mm



A11-1008 12V High Performance Fan

Maradyne High Performance 12" Fan

- Reversible Skew Blade (Pusher / Puller)
- 130 Watt Heavy Duty Sealed Motor (IP68)
- Airflow at 0" Static: 1155 CFM
- Current Draw: 7.7 Amp
- Mounting Kit included
- Dimensions:
Dia: 336mm
Depth: 66.5mm



A11-1009 24V High Performance Fan

Maradyne High Performance 12" Fan


- Reversible Skew Blade (Pusher / Puller)
- 130 Watt Heavy Duty Sealed Motor (IP68)
- Airflow at 0" Static: 1155 CFM
- Current Draw: 3.85 Amp
- Mounting Kit included
- Dimensions:
Dia: 336mm
Depth: 66.5mm



A11-1011 12V High Performance Fan

Maradyne High Performance 16" Fan

- Reversible Skew Blade (Pusher / Puller)
- 225 Watt Heavy Duty Sealed Motor (IP68)
- Airflow at 0" Static: 2170 CFM
- Current Draw: 17.7 Amp
- Mounting Kit included
- Dimensions:
Dia: 414mm
Depth: 84.3mm



A11-1012 24V High Performance Fan

Maradyne High Performance 16" Fan

- Reversible Skew Blade (Pusher / Puller)
- 225 Watt Heavy Duty Sealed Motor (IP68)
- Airflow at 0" Static: 2170 CFM
- Current Draw: 8.85 Amp
- Mounting Kit included
- Dimensions:
Dia: 414mm
Depth: 84.3mm





Pro-Series

Tool and Equipment

E58-0000

Hand Crimper

- Hand Crimper to suit Insulated & Non-insulated Terminals
- Also can be used as a Wire Stripper, Wire Cutter & Bolt Cutter



E58-0001

Hand Crimper

- Hand Crimper to suit Insulated, Non-insulated Terminals, Solid Barrel Spark Plug & Distributor Terminals
- Also can be used as a Wire Stripper & Wire Cutter



E58-0002

Heavy Duty Hand Crimper

- Heavy Duty Crimping Pliers to suit Insulated Terminals
- Also can be used as a Wire Stripper & Wire Cutter
- Product Code : [EQP-048](#)



E58-0003

Heavy Duty Hand Crimper

- Heavy Duty Crimping Pliers to suit Insulated & Non-Insulated Terminals
- Also can be used as a Wire Stripper & Wire Cutter
- Product Code : [EQP-049](#)



E58-0004

Ratchet Crimping Tool

- Heavy Duty Ratchet Crimping Tool to suit Insulated Terminals
- Product Code : [EQP-038](#)



E58-0005

Ratchet Crimping Tool

- Heavy Duty Ratchet Crimping Tool to suit Insulated Terminals
- Long Handles for Better Leverage





Pro-Series

Tool and Equipment

E58-0006

Ratchet Crimping Tool

- Heavy Duty Ratchet Crimping Tool to suit Non-Insulated Terminals
- Product Code : [EQP-037](#)



E58-0007

Ratchet Crimping Tool

- Heavy Duty Ratchet Crimping Tool to suit Non-Insulated Terminals
- Long Handles for Better Leverage



E58-0050

Battery Lug Crimper

- Heavy Duty Battery Lug Crimper
- Long arms which can be held in a vice for easier crimping
- Crimps Lugs from 16mm² to 90mm²
- Product Code : [EQP-052](#)



E58-0051

Battery Lug Crimper

- Battery Lug Crimper
- Easy to use Ratchet mechanism
- Crimps Lugs from 1.5mm² to 16mm²
- Product Code : [EQP-040](#)



E58-0110

Wire Strripper

- Wire Stripper / Cutter Tool
- Self Adjusting from 0.5mm² to 8mm²
- Product Code : [EQP-035](#)



E58-0055

Cable Lug Crimper

- Hydraulic Cable Lug Crimper
- Comes with 8 sets of interchangeable dies to suit Lug sizes 4mm² - 70mm²





Pro-Series

Tool and Equipment

E58-0056

Copper Lug Crimper

- Adjustable Crimping Tool
- Crimps 6mm² - 50mm²
- Overall Length 400mm
- Product Code : [EQP-043](#)



E58-0057

Copper Terminal & Lug Crimper

- Heavy Duty Forged Steel Crimping Tool
- Crimps 6mm² - 120mm²
- Overall Length 630mm
- Product Code : [EQP-044](#)



E58-0100

Cable Cutter

- Cable Cutting tool
- Suitable for cutting cable up to 60mm² (2B&S)
- Product Code : [EQP-041](#)



E58-0101

Heavy Duty Cable Cutter

- Cable Cutting tool
- Suitable for cutting cable up to 100mm²
- Long handles with rubber grips
- Product Code : [EQP-042](#)



E58-0102

Heavy Duty CAble Cutter

- Cable Cutting Tool
- Suitable for Cutting Cable up to 250mm²
- Long Handles with Rubber Grips



E58-0150

Deutsch Crimper

- Deutsch Hand Crimper
- Suits: Size 16 Solid Deutsch Terminals
- Product Code : [EQP-033](#)



Tool and Equipment

E58-0151

Deutsch Crimper

- Deutsch Hand Crimper
- Suits: Size 16 Solid Deutsch Terminals
- Product Code : LV8003



E58-0170

Knipex Side Cutter

- High Leverage Diagonal Cutters
- Suitable for all types of wire including piano wire
- Cutting a medium hard wire of 2.0mm Dia. with a High Leverage Diagonal Cutter (length 160mm)



E58-0172

Snipe Nose Side Cutting

- Suitable for gripping & cutting work in precision mechanics
- Style Pointed, Half-Round Jaws
- Cutting edges hardness approx. 61 HRC



E58-0171

Combination Pliers

- Chrome-plated pliers
- With gripping zones for flat & round material, suitable for versatile use
- Cutting edges for soft & hard wire, long cutting edges for thicker cables
- Cutting edge hardness approx. ca. 60 HRC



E58-0173

Snipe Nose Side Cutting

- Polished Head, Handles with multi-component covers
- High loadable, elastic precision points
- Style: Half-Round, Straight Jaws
- Cutting edges for medium hard wire max. Dia. 3.2mm & hard wire max. Dia. 2.2mm
- Cutting edge hardness approx. 61 HRC



Tool and Equipment

E58-0174 40° Snipe Nose Side Cutting

- Polished Head, Handles with multi-component covers
- The slim precision tips withstand high demands, particularly bending loads.
- Style: Half-Round, 40° Bent Jaws
- Cutting edges for medium hard wire max. Dia. 3.2mm & hard wire max. Dia. 2.2mm
- Cutting edge hardness approx. 61 HRC



E58-0175 Circlip Pliers

- Circlip Pliers for internal circlips (bore holes)
- For fitting internal circlips in bore holes from 8 - 400mm Dia.
- Solid style, forged
- Non-slip, solid tips




E58-0176 90° Circlip Pliers

- 90° Circlip Pliers for internal circlips (bore holes)
- For fitting internal circlips in bore holes from 8 - 400mm Dia.
- Solid style, forged
- Non-slip, solid tips



E58-0177 Circlip Pliers

- Circlip Pliers for external circlips (shafts)
- For fitting external circlips on shafts from 3 - 400mm Dia.
- Solid style, forged
- Non-slip, solid tips



E58-0178 90° Circlip Pliers

- 90° Circlip Pliers for external circlips (shafts)
- For fitting external circlips on shafts from 3 - 400mm Dia.
- Solid style, forged
- Non-slip, solid tips



E58-0179 Wire Strippers

- Polished head, Handles with multi-component covers
- Suitable for single, multiple & fine stranded conductors with plastic / rubber insulation max. 5.0mm Dia. / resp. 10.0mm² cable cross section
- Easy adjustment to the required diameter of solid / stranded wire with knurled screw & lock nut





Pro-Series

Tool and Equipment

E58-1050

Gas Soldering Iron Kit

- Gas Soldering Iron Kit
- Soldering Temperature up to 900°C
- Electronic Ignition
- Child Safety Lock
- Includes: 3.5mm Chisel Tip
3mm Diagonal Tip
Hot Knife
Hot Blower
Removal Tool



* E58-1050G: Butane Gas 60g



E58-1055

Gas Heating Tool

- [Gas Heating Tool](#)
- Max Temperature 1300°C
- Electronic Ignition
- Child Safety Lock
- Includes: Stand
- Product Code: [EQP-047](#)



E58-1060

Replacement Tip

- Replacement Soldering Head with Catalyst
- Suits: [E58-1050](#)
- Product Code: [EQP-046A](#)



E58-1061

Replacement Tip

- Replacement Standard Soldering Tip
- Suits: [E58-1050](#)
- Product Code: [EQP-046B](#)



E58-1062

Replacement Tip

- Replacement 3mm Diagonal Soldering Tip
- Suits: [E58-1050](#)
- Product Code: [EQP-046C](#)



E58-1063

Replacement Tip

- Replacement 3.5mm Chisel Tip
- Suits: [E58-1050](#)
- Product Code: [EQP-046D](#)



E58-1064

Replacement Tip

- Replacement Hot Knife Tip
- Suits: [E58-1050](#)
- Product Code: [EQP-046E](#)



E58-1065

Replacement Tip

- Replacement Hot Blower Tip
- Suits: [E58-1050](#)
- Product Code: [EQP-046F](#)



Tool and Equipment

E58-1013

Gas Soldering Iron Kit

- Robinson "Craftsman" 300W Soldering Iron
- Wooden Handle - Heat Insulating
- Robust Construction
- Balanced Weight
- Continuous Operation
- Long Lasting
- Heavy Duty



E58-1020

Gas Heating Tool

- Replacement Tip suit Scope Soldering Iron
- 6.4mm Double Flat Tip
- Suits E58-1000 & E58-1001
- 1 per pack



E58-1021

Replacement Tip

- Replacement Tip suit Scope Soldering Iron
- 3.2mm Conical Tip
- Suits E58-1000 & E58-1001
- 1 per pack



E58-1022

Replacement Tip

- Replacement Tips & Elements suit Scope Irons
- Kit Contains: 2 x Double Flat Tips (E58-1020)
- 1 x Conical Tip (E58-1021)
- 2 x Elements (E58-1023)
- Suits E58-1000 & E58-1001



E58-1023

Replacement Tip

- Replacement Element suit Scope Iron
- Suits E58-1000 & E58-1001
- 1 per pack



E58-1024

Replacement Tip

- Stainless Barrel Suit Scope Irons
- Suits E58-1000 & E58-1001
- 1 per pack



E58-1025

Replacement Tip

- Ceramic Beads Suits Scope Irons
- Suits E58-1000 & E58-1001



Part No	Pack Size
E58-1025	1
E58-1026	10

E58-1030

Replacement Tip

- Replacement Tip Suits Robinson Soldering Iron
- Pyramid Style Tip
- Suits 100W Irons
- Suits E58-1010
- Dimensions: 12.7mm Diameter stepped down to 9.5mm 132mm long
- 1 per pack



*We supply
what you need*



Pro-Series

Tool and Equipment

E58-1031

Replacement Kit

- Replacement Tip Suits Robinson Soldering Iron
- Pyramid Style Tip
- Suits 150W Irons
- Suits [E58-1011](#)
- Dimensions: 16mm Diameter stepped down to 12.7mm 135mm long
- 1 per pack



E58-1032

Replacement Kit

- Replacement Tip Suits Robinson Soldering Iron
- Pyramid Style Tip
- Suits 200W Irons
- Suits [E58-1012](#)
- Dimensions: 16mm Diameter 140mm long
- 1 per pack



E58-1033

Replacement Tip

- Replacement Tip Suits Robinson Soldering Iron
- Chisel Style Tip
- Suits 300W Irons
- Suits [E58-1013](#)
- Dimensions: 25mm Diameter stepped down to 19mm 140mm long
- 1 per pack



E58-1001

Scope Soldering Iron

- Scope 12V 150W Soldering Iron
- Manual Temperature Control
- 200°C 5 Sec Heat Up
- Powered by 12V Battery
- 6m Lead with Battery Clamps
- Includes Spare Tip & Element



E53-4060

Acid Core Solder

- Non Corrosive
- No unpleasant odour
- Contains excellent wetting agent
- Melting point ranges from 183°C to 215°C
- Acid Core or Resin Core
- Excellent finish

Part No	Description	Barcode
LV5960	1.6mm Acid Core 40/60(Sn/Pb) x 500g	9342828223782
LV5961	3.2mm Acid Core 40/60(Sn/Pb) x 500g	9342828223799
LV5962	1.6mm Resin Core 40/60(Sn/Pb) x 500g	9342828223805
LV5968	2.1mm Resin Core 40/60(Sn/Pb) x 500g	9342828226196
LV5963	3.2mm Resin Core 40/60(Sn/Pb) x 500g	9342828223812
LV5969	1.2mm Resin Core 60/40(Sn/Pb) x 500g	9342828226202
LV5964	1.6mm Resin Core 50/50(Sn/Pb) x 500g	9342828223829
LV5965	3.2mm Resin Core 50/50(Sn/Pb) x 500g	9342828223836
LV5966	3.2mm H/Melting Point 95/5(Sn/Pb) x 250g	9342828223843
LV5967	Solder Stick 50/50(Sn/Pb) x 250g	9342828224161





Pro-Series

Tester

E58-0311

6/12/24V Circuit Tester

- Heavy Duty Circuit Tester
- Extra Long 1.5m Lead with Heavy Duty Clip
- Globe Included



E58-0312

6/12/24V Circuit Tester

- LED Power or Ground Circuit Tester
- Extra Long 1.5m Lead with Heavy Duty Clip
- Lights up Red for Positive & Green for Negative Circuit



E58-0401

Digital Thermometer

- Digital Thermometer
- Stainless Steel Probe
- Protective Probe Cover
- °C / °F Selectable
- Wide Measurement Range: -50 to +200°C / -58 to +392°F
- Max / Min Temperature Memory
- Auto Off Function after 10 minutes



E55-2012

Battery Load Tester

- Carbon Pile Battery Load Tester 500 Amp 12V
- Separate Volt Meter & Ammeter Gauges
- Tests Batteries up to 1000 CCA
- Fully Insulated, Heavy Duty Battery Clamps





Pro-Series

Multimeter

E58-0501

Digital Multi Meter

- AC/DC Digital Multimeter
- Features: 2000 Digital Display Counts
- 8 Functions, DCV, ACV, DCA, ACA, Resistance, Frequency, Diode Check & Continuity Test
- Double Molded Plastic Housing
- Full Overload Protection on all ranges
- Data Hold Function
- Backlight LCD Display
- Low Battery Symbol
- Mechanical Movement to prevent incorrect connection
- CAT II 1000V Protection
- Includes: Test Leads & User Manual



E58-0502

True RMS Digital Multi Meter

- AC/DC True RMS Digital Multimeter
- Features: 4000 Digital Display Counts
- 10 Functions, DCV, ACV, DCA, ACA, Resistance, Frequency, Diode, Continuity Test, Temperature & Duty Cycle
- Data Hold Function
- Continuity Buzzer & Diode Check
- Max Min Recording Mode
- Peak Capture Mode
- Backlight LCD Display
- Auto Power Off
- Low Battery Indicator
- IP 67 Dust & Water Proof Housing
- CAT III 1000V & CAT IV 600V Protection
- Includes: Soft Carry Case, Test Leads, Temperature Probe & User Manual



Battery Charger

E58-2023

12/24V Jump starters

- Suitable for 12V & 24V systems
- Reverse polarity protection
- 3400 peak Amps
- 800CCA (12V) 400CCA (24V)
- Dead start function
- Heavy duty cable & fully insulated clamps
- High performance long-life sealed batteries from GS
- Recharge from any 240V AC or 12V DC outlet
- 12V DC power outlet with overload protection & Protective cover
- Charge level indicator
- Side compartments to protect cables
- Heavy duty professional use
- As supplied to the Australian Army
- Comes with 3 stage, 2 amp charger to ensure optimum battery life





STEALTH
MINING SOLUTIONS SDN BHD



THE CATALOGUE

Thank you . . .